

The MART 9 1956 LANDS CAPE LINE for 1956

our sixty-eighth year

The most comprehensive list
of hardy ornamental nursery stock
in the Metropolitan area

Oak Park

NURSERIES, Inc.



LESLIE S. MAC ROBBIE, PRES., EAST PATCHOGUE, LONG ISLAND, N. Y.

Oak Park



Telephone GRover 5-0232 (Formerly PAtchague 3-0232)

LESLIE S. MacROBBIE
President

EDWARD J. ANDERSON Vice President

JOHN J. MURPHY, L. A. Vice President

MARIE BROPHY
Secretary-Treasurer

WILLIAM F. HAUSER Nursery Superintendent

WILLIAM M. ARNOTT Assistant Nursery Supt.

Established in 1888 (Reorganized in 1920 under present management)

For Over 35 Years We've Been Serving

HOME OWNERS

CLUBS and LODGES

PARK DEPARTMENTS
PUBLIC INSTITUTIONS

CEMETERIES

NSTITUTIONS NURSERYMEN
LANDSCAPE CONTRACTORS
LANDSCAPE ARCHITECTS
LANDSCAPE GARDENERS

FLORISTS

We deliver throughout New York, New Jersey, Connecticut, and greater distances if requested.

Member of
N. Y. State Association of Nurserymen
L. I. Nurserymen's Association






As a home for growing things, Long Island might well be known as America's "Green Thumb" jutting into the Atlantic. OAK PARK NURSERIES, INC., since 1888 has been adding to that reputation for fertility.


OAK PARK craftsmanship has built a tradition of fine tree and shrub production. Today, using the best of care and stock, skilled nurserymen at OAK PARK are reaping a sixty-seven year harvest of knowledge, skill, and integrity to provide trees and shrubs for the finest land-scapes in America.

OAK PARK's best advertisements are planted around the homes of literally thousands of satisfied customers. Your friends are surely numbered among them. If so, ask one about the quality of OAK PARK stock and service. Purchasers, past and present, are our best salesmen.

Your home is your greatest social asset . . . and your appearance in the eyes of neighbors can be no nicer than the setting in which you live. Assure your home of respectful attention. Arrange your landscape with planters who for over half a century have commanded the respect of homeowners throughout this area.

For trees, shrubs, and landscape stock . . . see OAK PARK.







Key to letters following plant names:

BLE-Broad-leaved Evergreen

DS-Deciduous Shrub

DT-Deciduous Tree

DVG—Deciduous Vine and/or Ground Cover EVG—Evergreen Vine and/or Ground Cover

NLE—Narrow-leaved Evergreen

Heights given of trees (DT) are approximate and represent average heights. Some trees may fall short of specified heights, so caliper given shall govern.

Numerals following plant names indicate approximate height of plant at maturity.

Block No.

| | Abelia grandiflora BLE 3' | GLOSSY ABELIA |
|----|-----------------------------|----------------------------|
| | Shiny dark green foliage. | Profuse pink flowers from |
| | July to frost. | |
| 8 | Small | 1 gal\$ 1.20 |
| 13 | Small | |
| 12 | Small, 12-15" spread | |
| 16 | Medium, 15-18" | B&B 2.40 |
| 2 | Large, 18-24" | |
| 3 | Extra Large, 2-3' | B&B 4.50 |
| 4 | Specimens, 2-3' heavy | B&B 6.00 |
| 6 | Specimens, 3-4' heavy | B&B 9.00 |
| | | |
| | Abelia grandiflora prostrat | a BLE 11/2' |
| | | OSTRATE GLOSSY ABELIA |
| | Similar to above, but of | |
| | cellent for bank planting | s and around cover |
| 18 | Container grown | 1 gal\$ 2.70 |
| | | |
| | | WHITE OR CONCOLOR FIR |
| | | eneral use. Definite blue- |
| | green needles and vigorou | |
| 6 | 2-3' high | |
| 8 | 3-4' | |
| 1 | 4-5' | B&B 15.00 |
| | | |
| | Abies fraseri NLE 70' | FRASER FIR |
| | Dark green needles. | |
| 66 | 3-4' high | B&B \$ 9.90 |
| 34 | 4-5' | B&B 12.60 |
| 1 | 5-6' | B&B 15.00 |
| 2 | 6-7' | B&B 18.00 |
| 18 | 7-8' | Б&В 27.00 |
| | | |
| | Abies veitchi NLE 50' | VEITCH FIR |
| | A choice type of fir, syr | nmetrical with soft, dark |
| | green needles. | |
| 8 | 3-4' high | B&B \$ 12.00 |
| 1 | 4-5' | |
| 2 | 5-6' | |
| 8 | 6-7' | |
| 24 | 7-8' | |
| 28 | 8-10' | |
| | | |

8



| No. | |
|-----|--------------------------------------------------------------------------------------------------------------------------|
| | Acanthopanax pentaphyllum DS 8' |
| | FIVE-LEAVED ARALIA |
| | Upright shrub with arching, spiny branches and |
| | clean green foliage. Tolerant of difficult conditions |
| | like dry soil, shade, root competition, smoke. |
| 120 | |
| 1 | 18-24" high\$ 1.50 |
| 13 | 2-3' 1.95 |
| 16 | 3-4' 2.40 |
| 2 | 4-5' 3.00 |
| | |
| | Acer dasycarpum DT 75' SILVER MAPLE |
| | One of our fastest growing shade trees. |
| 28 | 8-10' high 1-11/4" caliper\$ 4.20 |
| 35 | 8-10' 1¼-1½" 5.25 |
| 46 | 10-12' 1½-1¾'' 6.90 |
| 7 | 10-12' 134-2'' 10.50 |
| 1 | 12-14' 2-2½" 15.00 |
| 13 | 12-14' 2½-3'' 19.50 |
| 13 | 12-14 |
| | A DT (0) |
| | Acer negundo DT 60' BOXELDER |
| | Rapid grower, tolerant of seaside exposure. At- |
| | tractive green bark and yellowish-green blossoms. |
| 26 | 5-6' high\$ 3.90 |
| 3 | 6-8' 4.50 |
| 4 | 8-10' 6.00 |
| | |
| | Acer palmatum Ashio-Beni DT 20' |
| | REDLEAF JAPANESE MAPLE |
| | Light red, serrated leaves and a bushy habit of |
| | growth. Available Fall, 1956. |
| | |
| | Acer palmatum atropurpureum DT 20' |
| | BLOODLEAF JAPANESE MAPLE |
| | Deep red to purple serrated leaves, bushy habit |
| | of growth. |
| 56 | 18-24" high B&B\$ 8.40 |
| 8 | 2-2½' B&B 12.00 |
| 0 | 2-2/2 |
| | Acer platanoides DT 75' NORWAY MAPLE |
| | One of the most satisfactory lawn or street trees. |
| | |
| | Broad, rounded head with large, dark green leaves. Casts dense shade. |
| | |
| 51 | 8-10' high 1-1¼" caliper \$ 7.65 |
| 7 | 10-12' |
| 9 | 10-12' |
| 11 | 12-14' |
| 14 | 20211 |
| 17 | 12-14' |
| 17 | $12-14'$ $2-2\frac{1}{2}'$ 21.00 $14-16'$ $2\frac{1}{2}-3''$ 25.50 |
| 17 | |
| 17 | |
| 17 | 14-16' |
| 17 | 14-16' 2½-3'' 25.50 Acer platanoides pyramidalis DT 75' |
| 17 | Acer platanoides pyramidalis DT 75' PYRAMIDAL NORWAY MAPLE |
| | Acer platanoides pyramidalis DT 75' PYRAMIDAL NORWAY MAPLE Similar to above, but a much more pyramidal or columnar head. |
| 49 | Acer platanoides pyramidalis DT 75' PYRAMIDAL NORWAY MAPLE Similar to above, but a much more pyramidal or |



| Block | | |
|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| No. | A I a I II -! BY WY | |
| | Acer platanoides schwedleri DT 75' | |
| | SCHWEDLER MAPLE Similar to Norway Maple, but young foliage in | |
| | Spring is reddish, turning dark green in Summer. | |
| 0 | | |
| 9 11 | 8-10' high | |
| 14 | | |
| 17 | 10-12' 1¾-2" 21.00 12-14' 2-2½" 25.50 | |
| " | 12-14 | |
| | Acer platanoides schwedleri nigra DT 75' | |
| | (Plant Patent No. 735) CRIMSON KING MAPLE | |
| | Retains its magnificent deep maroon foliage through- | |
| | out the growing season. Gives same foliage effect | |
| | as Copper Beech. | |
| 6 | Container Grown \$ 9.00 | |
| 7 | 6-7' high 10.50 | |
| 9 | 7-8' | |
| 11 | 8-10', light | |
| 15 | 8-10', branched 1-11/4" caliper 22.50 | |
| 18 | 10-12', branched 11/4-11/2" 27.00 | |
| | Acer mondialeteres DT 75/ CVC+MODE MADIE | |
| | Acer pseudoplatanus DT 75' SYCAMORE MAPLE Similar in habit of growth to Norway Maple, but | |
| | leaves are purple-red beneath, and it is more toler- | |
| | ant of seaside exposure. | |
| 51 | 6-8' high | |
| | 7.03 | |
| | Acer rubrum DT 75' RED or SWAMP MAPLE | |
| | | |
| | | |
| | Broad, rounded head for dense shade. Brilliant | |
| 51 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. | |
| 51 7 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high | |
| 7 9 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1½" caliper \$ 7.65 8-10' 1½-1½" 10.50 10-12' 1½-1¾" 13.50 | |
| 7 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1½" caliper \$ 7.65 8-10' 1½-1½" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 | |
| 7 9 11 14 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1½" caliper \$ 7.65 8-10' 1½-1½" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 | |
| 7 9 11 14 17 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1¼-1½" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 | |
| 7 9 11 14 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-11/4" caliper \$ 7.65 8-10' 11/4-11/2" 10.50 10-12' 11/2-13/4" 13.50 10-12' 13/4-2" 16.50 12-14' 2-21/2" 21.00 | |
| 7 9 11 14 17 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1¼-1½" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 | |
| 7 9 11 14 17 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1¼-1½" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE | |
| 7 9 11 14 17 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1½-1½" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2-2½" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage | |
| 7 9 11 14 17 26 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high | |
| 7 9 11 14 17 26 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high | |
| 7 9 11 14 17 26 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1\lambda'' caliper \$ 7.65 8-10' 1\lambda'-1\lambda'' 10.50 10-12' 1\lambda'-1\lambda'' 13.50 10-12' 1\lambda'-2'' 16.50 12-14' 2-2\lambda'' 21.00 12-14' 2\lambda'-3'' 25.50 14-16' 3-3\lambda'' 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1\lambda'-1\lambda'' caliper \$ 10.50 10-12' 1\lambda'-1\lambda'' 13.50 | |
| 7 9 11 14 17 26 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1½" caliper \$ 7.65 8-10' 1½-1¾" 10.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 13.50 | |
| 7 9 11 14 17 26 7 9 11 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1½" caliper \$ 7.65 8-10' 1½-1¾" 10.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 | |
| 7 9 11 14 17 26 7 9 11 14 17 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1¼-1½" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 16.50 12-14' 2-2½2" 21.00 14-16' 2½-3" 25.50 | |
| 7 9 11 14 17 26 7 9 11 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1½" caliper \$ 7.65 8-10' 1½-1¾" 10.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 | |
| 7 9 11 14 17 26 7 9 11 14 17 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1½-1¾" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 16.50 10-12' 1½-1¾" 16.50 12-14' 2-2½" 21.00 14-16' 2½-3" 25.50 14-16' 3-3½" 39.00 | |
| 7 9 11 14 17 26 7 9 11 14 17 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1½-1¾" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 2-2½" 21.00 14-16' 2-2½" 21.00 14-16' 3-3½" 39.00 Actinidia arguta DVG 30' BOWER ACTINIDIA | |
| 7 9 11 14 17 26 7 9 11 14 17 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1½-1¾" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 16.50 10-12' 1½-1¾" 16.50 12-14' 2-2½" 21.00 14-16' 2½-3" 25.50 14-16' 3-3½" 39.00 | |
| 7 9 11 14 17 26 7 9 11 14 17 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1½-1½" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 2-16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 14-16' 2½-3" 25.50 14-16' 3-3½" 39.00 Actinidia arguta DVG 30' BOWER ACTINIDIA Twining vine. White blossoms in July. Green- | |
| 7 9 11 14 17 26 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1½-1¾" 10.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 14-16' 2½-3" 25.50 14-16' 3-3½" 39.00 Actinidia arguta DVG 30' BOWER ACTINIDIA Twining vine. White blossoms in July. Greenyellow fruit. Container grown \$ 2.70 | |
| 7 9 11 14 17 26 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1½-1¾" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 16.50 12-14' 2-2½" 21.00 14-16' 2½-3" 25.50 14-16' 3-3½" 39.00 Actinidia arguta DVG 30' BOWER ACTINIDIA Twining vine. White blossoms in July. Greenyellow fruit. Container grown \$ 2.70 | |
| 7 9 11 14 17 26 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high | |
| 7 9 11 14 17 26 | Broad, rounded head for dense shade. Brilliant Autumn foliage colors. Tolerates seaside exposure. 8-10' high 1-1¼" caliper \$ 7.65 8-10' 1½-1¾" 10.50 10-12' 1½-1¾" 13.50 10-12' 1¾-2" 16.50 12-14' 2-2½" 21.00 12-14' 2½-3" 25.50 14-16' 3-3½" 39.00 Acer saccharum DT 75' SUGAR or HARD MAPLE Oval rather than rounded head. Brilliant Fall foliage colors. The tree from which maple syrup is taken. 8-10' high 1¼-1½" caliper \$ 10.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 13.50 10-12' 1½-1¾" 16.50 12-14' 2-2½" 21.00 14-16' 2½-3" 25.50 14-16' 3-3½" 39.00 Actinidia arguta DVG 30' BOWER ACTINIDIA Twining vine. White blossoms in July. Greenyellow fruit. Container grown \$ 2.70 | |



| | Albizzia julibrissin rosea DT 35' |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | MIMOSA or SILK TREE |
| | Small ornamental tree with wide spreading, um- |
| | brella-like head and dainty leaves. Light pink |
| | blossoms in Aug. and Sept. |
| 26 | 4-5' high |
| 36 | 5-6' 5.40 |
| 44 | 6-8' 6.60 |
| 55 | 8-10' 8.25 |
| 33 | 0-10 0.23 |
| | |
| | Amelanchier canadensis DS 30' |
| | DOWNY SHADBLOW |
| | Snow white blossoms in early Spring, when the Shad |
| | run in upstate rivers. Deep maroon fruit. |
| 15 | 2-3' high\$ 2.25 |
| 26 | 3-4' 3.90 |
| 3 | 4-5' 4.50 |
| 66 | 5-6', heavy B&B 9.90 |
| 1 | 6-8', heavy |
| | 10.00 |
| | A 1 ' (1' DVC 05) |
| | Ampelopsis quinquefolia DVG 35' |
| | VIRGINIA CREEPER |
| | Vine of rapid, twining growth with broad green |
| | leaves turning rich crimson in Fall. |
| 15 | Container grown\$ 2.25 |
| | |
| | Ampelopsis quinquefolia engelmanni DVG 35' |
| | ENGELMANN CREEPER |
| | Much smaller leaves than above. |
| 15 | Container grown\$ 2.25 |
| | |
| | Amelopsis tricuspidata (veitchi) DVG 35' |
| | BOSTON IVY |
| | Clings to brick, masonry, rocks, stumps and other |
| | rough surfaces by use of tiny cuplike discs. |
| 12 | Container grown\$ 1.80 |
| 12 | Comuner grown |
| | |
| | Ampelopsis tricuspidata Lowii DVG 35' GERANIUM CREEPER |
| | GEKANIUM CKEEPEK |
| | |
| | Small leaved variety of above. |
| 13 | |
| 13 | Small leaved variety of above. Container grown |
| 13 | Small leaved variety of above. |
| 13 | Small leaved variety of above. Container grown |
| 13 | Small leaved variety of above. Container grown |
| 13 | Small leaved variety of above. Container grown |
| 13 | Small leaved variety of above. Container grown |
| 13 | Small leaved variety of above. Container grown |
| | Small leaved variety of above. Container grown |
| 38 | Small leaved variety of above. Container grown |
| 38 7 | Small leaved variety of above. Container grown \$ 1.95 Amygdalus persica (in variety) DT 12' FLOWERING PEACH Similar in habit of growth and foliage to fruiting peach trees, but lovely double pink, white or red blossoms in early Spring. Container grown \$ 5.70 5-6' high, heavy B&B 10.50 |
| 38 7 9 | Small leaved variety of above. Container grown \$ 1.95 Amygdalus persica (in variety) DT 12' FLOWERING PEACH Similar in habit of growth and foliage to fruiting peach trees, but lovely double pink, white or red blossoms in early Spring. Container grown \$ 5.70 5-6' high, heavy B&B 10.50 6-8' B&B 13.50 |
| 38 7 9 | Small leaved variety of above. Container grown \$ 1.95 Amygdalus persica (in variety) DT 12' FLOWERING PEACH Similar in habit of growth and foliage to fruiting peach trees, but lovely double pink, white or red blossoms in early Spring. Container grown \$ 5.70 5-6' high, heavy \$ B&B 10.50 6-8' \$ B&B 13.50 6-8', heavy \$ B&B 18.00 |



| | Amygdalus persica alboplena DOUBLE WHITE FLOWERING PEAC | н |
|---------------|---------------------------------------------------------------------------------------------------------|----------------|
| | Amygdalus persica Helen Borchers DOUBLE PINK FLOWERING PEAC | Н. |
| | Amygdalus persica Iceburg DOUBLE WHITE FLOWERING PEAC | н |
| | Amygdalus persica rosea plena DOUBLE PINK FLOWERING PEAC | н |
| | Amygdalus persica rubro plena DOUBLE RED FLOWERING PEAC | н |
| | Arctostaphyllos uva-ursi DVG 3" BEARBERR Excellent ground cover for dry soils, seaside exposure. | |
| 8 | Container grown $(2\frac{1}{2})''$ pots) | 20 |
| | Aristolochia durior (sipho) DVG 30' DUTCHMAN'S PII | PE |
| | Twining vine of rapid growth. Brownish flowers late Summer. | in |
| 9 | Container grown \$ 1.3 | 35 |
| | Aronia arbutifolia brilliantissima DS 8' | |
| | RED CHOKEBER | |
| | White blossoms in May and June. Brilliant referrit and crimson foliage in Fall. | ed |
| 1 12 15 | 20 | 50 80 25 |
| | Azalea arborescens DS 4' SWEET AZALI | |
| | Low, broad habit of growth. Pink-white blosson in June. | ns |
| 45 56 | 2-2½' high B&B \$ 6. 2½-3' B&B 8. | |
| | Azalea calendulacea DS 6' FLAME AZAL | EΛ |
| | Azalea calendulacea DS 6' FLAME AZALI Lemon yellow, orange to red blossoms in Jui Fragrant. | |
| 38 | | 70 |
| 44 | | 60 |
| 52 | 2-2½' | 80 |
| 66 | 2½-3′ B&B 9. | 90 |
| | Azalea Glenn Dale BLE 3' GLENN DALE AZAL | |
| | A relatively new group of hybrids developed U. S. D. A. Experiment Station in Glenn Dale, N Very hardy. | at Ad. |
| 2 | | .00 |
| 24 | | .60 |
| 38 | | .70 |
| | (60) | |



| Block | ζ |
|-------|---|
| No. | |

| 5 66 | 18-21" B&B 7.50 21-24" B&B 9.90 Fashion—141788—Begonia rose, tube almost white Glamour—141908—Rose red Greeting—141901—Coral rose Rosette—160135—Light rosy purple Treasure—160125—White, buds pale pink |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Azalea indica Delaware Valley White DS 6' INDICA AZALEA |
| | This is really a semi-evergreen. |
| 3 4 | 10-12" spread B&B\$ 4.50 12-15" B&B 6.00 |
| | Azalea Joseph Gable's Hybrids JOSEPH GABLE'S AZALEA |
| | A hardy group with a wide color range. Developed by Mr. Joseph P. Gable of Pennsylvania. |
| 24 38 5 66 | 12-15" spread B&B \$ 3.60 15-18" B&B 5.70 18-21" B&B 7.50 21-24" B&B 9.90 Louise Gable—Semi-double rose Rose Greeley—White, hose-in-hose (double) Rosebud—Small, double pink |
| | Azalea kaempferi (in variety) DS 5' |
| | Actually semi-evergreen in protected locations. Shades of pink and salmon blossoms in May. |
| 0.4 | |
| 24 33 38 46 | 12-15" high B&B \$ 3.60 15-18" B&B 4.95 18-21" B&B 5.70 21-24" B&B 6.90 |
| 33 38 | 15-18" B&B 4.95 18-21" B&B 5.70 21-24" B&B 6.90 |
| 33 38 | 15-18" B&B 4.95 18-21" B&B 5.70 |



Hinomayo—soft pink
Pink Pearl—salmon pink with light center
Salmon Beauty—salmon pink, hose-in-hose
Sherwoodi—orchid
Snow—white, hose-in-hose
Sun Star—deep rose pink

| | Azalea ledifolia alba BLE 4' SNOW AZA | LEA |
|----|-----------------------------------------------------|--------------|
| | (not to be confused with Azalea kurume Snow) | |
| | The well known and widely used white azalea. | |
| 29 | 10-12" spread B&B\$ | 3.60 |
| 41 | 12-15"B&B | 5.10 |
| 53 | 15-18" B&B | 6.60 |
| | | |
| | Azalea mollis DS 5' CHINESE AZA | |
| | An upright grower with orange and red to | oned |
| | blossoms appearing before the leaves. | |
| 38 | 15-18" high B&B\$ | 5.70 |
| | | |
| | Azalea mucronulatum DS 6' DAHURIAN AZA | |
| | The earliest azalea to bloom, along with forsy | thia. |
| | Rosy lavender. | |
| 38 | 15-18" high B&B\$ | 5.70 |
| 46 | 18-24" | 6.90 8.40 |
| 56 | 2-2½' B&B | 6.40 |
| | Azalea nudiflora DS 4' PINXTERBLO | МОС |
| | One of the native species. Pink blossoms in | May. |
| 39 | 15-18" high B&B\$ | 5.85 |
| 46 | 18-24" B&B | 6.90 |
| 52 | 2-2½' B&B . | 7.80 |
| | | |
| | Azalea pontica (Ghent) DS 5' GHENT HYBRID AZ | ALEA |
| | | |
| | Distinct bright colors in yellow, orange and red | |
| 25 | 10-12" high\$ | 3.75 |
| 32 | 12-15" B&B | 4.80 6.30 |
| 42 | 15-18" B&B | 0.30 |
| | Azalea rosea DS 4' DOWNY PINXTERBL | ООМ |
| | A native specie. Fragrant deep rose blosson | ns in |
| | May. | |
| 44 | 18-24" high B&B\$ | 6.60 |
| 52 | 2-2½' B&B | 7.80 |
| 66 | 2½-3′ B&B | 9.90 |
| | | |
| | Azalea vaseyi DS 5' PINKSHELL AZ | |
| | A native specie. Small clusters of shell pink block | |
| | in May. A favorite of everyone who knows | it. |
| 5 | 18-24" high B&B\$ | 7.50 |
| 6 | 2-2½'B&B | 9.00 |



| Block No. | | |
|--------------|-----------------------------------------------------------------------------------------------------|----------|
| | Azalea viscosa DS 6' A native specie. Fragrant pink-white flowers | |
| | July when most other azaleas have gone by. | |
| 38 | 15-18" high B&B\$ 5.7 | 70 |
| 44 | 18-24" | 50 |
| 52 | 2-2½' | _ |
| 66 | 2½-3′ B&B 9.5 | 70 |
| | Azalea yodogawa DS 3' YODOGAWA AZALE Double brilliant purplish-pink blossoms in May. | Α |
| 12 | 6-9" spread B&B \$ 1.8 | 80 |
| 16 | 9-12"B&B 2. | 40 |
| 23 | 12-15"B&B 3.4 | 45 |
| 3 | 15-18" B&B 4.3 | 50 |
| | Azalea Vuyk, Palestrina (Wilhelmina Vuyk) DS 4' VUYKIANA AZALI | FΔ |
| | Tall grower, white blossoms in May. Probably mo | |
| | hardy than A. ledifolia alba. | |
| 44 | 12-15" high B&B\$ 6. | |
| 56 | 15-18" B&B 8. | 40 |
| | Benzoin aestivale DS 12' Stiffly upright shrub with small light yellow blossor | |
| | in early Spring and red fruit in Fall. | |
| 8 | | 20 50 |
| | Berberis chengulti BLE 5' CHENAULT BARBERI | RY |
| | Actually semi evergreen. Low, spreading habit growth. Available Fall 1956. | of |
| | growm. Available fail 1755. | |
| | Berberis julianae BLE 8' WINTERGREEN BARBER | RY |
| | Brilliant colored foliage in Fall and throughout Wint Blue-black fruit. Excellent foundation plant. | er. |
| 37 | | 55 |
| 42 | 18-24" B&B 6. | |
| 64 | | .60 |
| 7 | 2½-3′ B&B 10. | 50 |
| | Berberis julianae nana (B.P.I.) BLE 3' DWARF WINTERGREEN BARBER | RY |
| | Developed by U. S. Bureau of Plant Introductio Available Fall 1956. | ns. |
| | Berberis thunbergi DS 4' JAPANESE BARBER | RY |
| | One of the hardiest hedge plants that presents | |
| | formidable barrier of thorns. Brightly colored F | |
| | foliage and red berries. Each 100 | |
| _ | | |
| 6 | 15-18" high\$.60\$ 55 18-24" | .00 |



| Block | | |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| No. | Berberis thunbergi atropurpurea DS 4' | |
| | REDLEAF JAPANESE BARBERRY | |
| | Foliage remains red throughout the growing season. | |
| 14 | 15-18" high \$ 2.10 | |
| 18 | 18-24" 2.70 | |
| 26 | 2-2½' 3.90 | |
| | Perhapir Abundanci Cuinnan Bunna DC 1/ | |
| | Berberis thunbergi Crimson Pygmy DS 1' CRIMSON PYGMY BARBERRY | |
| | One of the most outstanding small shrubs of recent | |
| | introduction. Dwarf and compact with rich oxblood | |
| | red foliage. | |
| 23 | Container grown | |
| | | |
| | Berberis thunbergi erecta DS 4' | |
| | UPRIGHT JAPANESE BARBERRY | |
| | Stiffly erect and very suitable for a formal hedge. | |
| 4 | 12-15" high\$.60 | |
| 6 | 15-18" | |
| | Berberis verruculosa BLE 2' WARTY BARBERRY | |
| | A dwarf plant with glossy green leaves, golden | |
| | yellow blossoms in April, and black fruit. | |
| 36 | 12-15" spread B&B \$ 5.40 | |
| 42 | 15-18" | |
| 52 | 18-24" B&B 7.80 | |
| | D. I. II. DT CO. | |
| | Betula alba DT 50' EUROPEAN WHITE BIRCH | |
| | Tall, graceful tree developing white stems as it matures. | |
| 7 | 5-6' high, clump | |
| 7 | 6-8' single stem | |
| 11 | 6-8' clump | |
| 1 | 8-10' single stem | |
| 14 | 8-10' clump B&B 21.00 | |
| 13 | 10-12' single stem | |
| 16 2 | 12-14' single stem B&B 24.00 14-16' single stem B&B 30.00 | |
| 2 | 14-16' single stem | |
| | Betula alba laciniata DT 40' | |
| | CUTLEAF EUROPEAN WEEPING BIRCH | |
| | Similar to above, but finer foliage and pendulous | |
| | branches, particularly in older trees. Has whitest | |
| | trunk of all birches. | |
| 9 | 6-8' high, single stem | |
| 11 | 8-10' B&B 16.50 | |
| 14 | | |
| | 10-12' B&B 21.00 | |
| | | |
| | Betula papyrifera DT 50' CANOE BIRCH | |
| | | |
| | Betula papyrifera DT 50' CANOE BIRCH Slender tree with chalk white, peeling bark, the bark the Indians used for making canoes. | |
| 7 | Betula papyrifera DT 50' CANOE BIRCH Slender tree with chalk white, peeling bark, the bark the Indians used for making canoes. 6-8' high, single stem | |
| | Betula papyrifera DT 50' CANOE BIRCH Slender tree with chalk white, peeling bark, the bark the Indians used for making canoes. | |



| Block | |
|-------|------------------------------------------------------|
| No. | Betula populifolia DT 40' GRAY BIRCH |
| | |
| _ | Native tree on L.I. Smooth, gray-white bark. |
| 9 | 5-6' high, clump, heavy B&B\$ 13.50 |
| 9 | 6-8' single stem B&B 13.50 |
| 12 | 6-8' clump, heavy |
| 11 | 8-10' single stem |
| 16 | 8-10' clump, heavy B&B 24.00 |
| 14 | 10-12' single stem B&B 21.00 |
| 2 | 10-12' clump, heavy |
| | Bignonia (see Campsis) |
| | Buddleig davidi DS 8' HYBRID BUTTERFLYBUSH |
| | Fast growing shrub (Jumbo size will grow 8' in one |
| | season) with long spikes of brilliant blossoms all |
| | Summer. Attracts butterflies. |
| | Ile de France—rosy purple |
| | Pink Dawn |
| | Royal Red |
| | White Bouquet |
| 15 | Container grown\$ 2.25 |
| 16 | Medium 2.40 |
| 24 | Large 3.60 |
| 38 | Extra Large 5.70 |
| 5 | Jumbo |
| 3 | 7.50 |
| | Callicarpa purpurea DS 4' CHINESE BEAUTYBERRY |
| | Pink flowers in August. Showy turquoise-lavender |
| | fruit in Fall. Jumbo size will grow about 5' in one |
| | season. |
| 14 | Medium |
| 2 | Large 3.00 |
| 36 | Extra large |
| 5 | Jumbo 7.50 |
| | Calycanthus floridus DS 5' SWEETSHRUB |
| | One that grandmother had in her garden. Fragrant |
| | reddish-brown blossoms during June and July. |
| 16 | 18-24" high\$ 2.40 |
| 24 | 2-3' 3.60 |
| 3 | 3-4' 4.50 |
| Ü | |
| | Camellia sasanqua BLE 5' SASANQUA CAMELLIA |
| | Camellias have been cultivated since 1742. Until |
| | recently considered hardy only farther south, but |
| | will do well here in shady, protected locations with |
| | moist soil. Red, white and pink blossoms in Fall. |
| 36 | Container grown (5 Good Varieties)\$ 5.40 |
| 66 | Container grown (3 Choice Varieties) 9.90 |
| | |
| | Campsis Mme. Galen DVG 30' |
| | HYBRID TRUMPETCREEPER |
| | A gorgeous showing from its rich apricot to orange |
| | blossoms in clusters all Summer |
| 56 | 3 years container grown |
| 30 | |
| | (will be 3-4' this year)\$ 8.40 |



Caragana arborescens DS 20' SIBERIAN PEA-SHRUB Grows almost treelike. Yellow blossoms in June. Available Fall, 1956.

| | Caryopteris incana DS 4' |
|----|------------------------------------------------------------------------|
| | BLUEMIST OR BLUEBEARD |
| | Fast growing shrub with a profusion of powder blue blossoms in Summer. |
| 15 | Container grown \$ 2.25 |
| | Cedrus atlantica glauca NLE 90' |
| | BLUE ATLAS CEDAR |
| | Outstanding specimen tree with powder blue needles |
| | and an Oriental look because of its branching habit. |
| 66 | 2½-3′ high B&B\$ 9.90 |
| 78 | 3-3½' B&B 11.70 |
| | Cedrus libani NLE 70' CEDAR OF LEBANON |
| | A tree rich in history. The Egyptians used its oil for |
| | embalming their dead. Light green needles and a |
| 54 | very unique appearance. 2-2½' high |
| 66 | 2-2½' high |
| 78 | 3-3½' B&B 11.70 |
| | Celastrus orbiculatus DVG 20' |
| | ORIENTAL BITTERSWEET |
| | Rapid grower. Brilliant orange-yellow fruit in the |
| 1 | Medium\$ 1.50 |
| 18 | Large |
| 23 | Container grown 3.45 |
| 3 | Extra large 4.50 |
| | Celastrus scandens DVG 20' |
| | AMERICAN BITTERSWEET |
| | Similar to above. Same sizes and prices. |
| | Cercidiphyllum japonicum DT 20' KATSURA TREE |
| | Leaves heart shaped, deep green above, silvery be- |
| 2 | neath. |
| 3 | Container grown \$ 4.50 |
| | Cercis canadensis DT 40' AMERICAN REDBUD |
| | Reddish purple blossoms along the stems before the |
| E | leaves appear in April. |
| 5 | 3-4' high B&B\$ 7.50 |
| 9 | 4-5' B&B 9.00 5-6' B&B 13.50 |
| 12 | 6-8' |
| | We try not to work to |

We try not to worry too much about some of our competitors' lower prices. They know what their plants and service are worth.



| Block | |
|--------------|---------------------------------------------------------------------------------------------------------|
| No. | Cercis chinensis DT 40' CHINESE REDBUD |
| | Blossoms more freely than the American type and |
| | has a low, spreading growth rather than upright. |
| 12 | Container grown\$ 1.80 |
| 6 75 | 3-4' spread |
| 75 | 11.25 |
| | Chaenomeles (See Cydonia) |
| | Chamaecyparis lawsoniana allumi NLE 40' |
| | SCARAB CYPRESS |
| | Flat foliage effect with steel blue needles. Spire- like habit of growth. A very handsome evergreen. |
| 15 | 18-24" high |
| 26 | 2-2½' B&B 3.90 |
| 3 | 2½-3′ |
| 37 46 | 3-3½' B&B 5.55 |
| 6 | 3½-4' B&B 6.90 4-5' B&B 9.00 |
| | 7.00 |
| | Chamaecyparis obtusa crippsi NLE 8' |
| | CRIPP'S HINOKI CYPRESS |
| | Bright sulphur yellow foliage on irregular fanlike sprays. A fine accent plant in an otherwise mono- |
| | tone of color. |
| 6 | 2-2½' high B&B \$ 9.00 |
| 7 | 2½-3′ B&B 10.50 |
| | Chamaecyparis obtusa nana NLE 5' |
| | DWARF HINOKI CYPRESS |
| | Dense green foliage and very slow, irregular growth, |
| 58 | giving it an Oriental appearance. 12-15" spread |
| 75 | 15-18" B&B 11.25 |
| | |
| | Chamaecyparis pisifera plumosa NLE 30' |
| | GREEN PLUME CYPRESS |
| | Soft, feathery light green foliage. A good screen plant. |
| 5 | 3-4' high B&B\$ 7.50 |
| 6 | 4-5' B&B 9.00 |
| 8 | 5-6' |
| 16 | 6-7' B&B 15.00 7-8' B&B 24.00 |
| 10 | 7-8' B&B 24.00 |
| | Chamaecyparis pisifera plumosa aurea NLE 30' |
| | GOLDENPLUME CYPRESS |
| | Similar to above, but new growth is tipped bright |
| | yellow. |
| 44 | |
| E1 | 2½-3′ high |
| 56 8 | 3-4' |
| 56 8 1 | 3-4' |
| 8 | 3-4' B&B 8.40 4-5' B&B 12.00 |
| 8 | 3-4' B&B 8.40 4-5' B&B 12.00 5-6' B&B 15.00 |



| Block | |
|-------|--|
| No. | |

| No. | |
|----------|-------------------------------------------------------------|
| | Chionanthus virginica DS 30' WHITE FRINGE |
| | Green-white flowers in May or June. Blue fruit in Fall. |
| 6 | 2-3' high B&B\$ 9.00 |
| 8 | 3-4' B&B 12.00 |
| 1 | 4-5' |
| | |
| | Cladrastis lutea DT 45' YELLOW-WOOD |
| | Broad, round head. Smooth gray bark resembling |
| | Beech. Fragrant white or yellow blossoms in June. |
| | Leaves turn bright yellow in Fall. Available Fall, 1956. |
| | 1730. |
| | |
| | |
| | Clematis hybrids (in variety) DVG 25' |
| | HYBRID CLEMATIS |
| | Large blossoms in late Summer and Fall. |
| | Henryi—white |
| | Jackmanii—purple |
| | Mme. Edward Andre—velvety red |
| 18 | Container grown\$ 2.70 |
| | |
| | Clematis paniculata DVG 25' |
| | SWEET AUTUMN CLEMATIS |
| | Pure white flowers (smaller than hybrids) in late |
| | Summer and Fall. Very fragrant. |
| 18 | Container grown |
| | |
| | Clethra alnifolia DS 10' SUMMERSWEET |
| | Spikes of creamy white blossoms in July and August. |
| 18 | Container grown\$ 2.70 |
| 22 28 | 3.4' 3.30 4-5' 4.20 |
| 20 | 4.20 |
| | Clethra alnifolia rosea DS 10' |
| | PINK SUMMERSWEET |
| | Similar to above, but pink blossoms. |
| 18 | 18-24" high \$ 2.70 |
| 22 | 2-3' |
| | |
| | Cornus florida DT 25' |
| | WHITE FLOWERING DOGWOOD |
| | One of the most popular flowering trees. White |
| | blossoms in May and bright red berries in clusters in Fall. |
| 37 | * " · · · |
| 62 | 3-4' high B&B\$ 5.55 4-5' B&B 9.30 |
| 8 | 5-6' B&B 12.00 |
| 11 | 6-7' B&B 16.50 |
| 16 | 7-8' B&B 24.00 |
| 22 | 8-10' B&B 33.00 |
| | |



| Block | |
|-------|-------------------------------------------------------------------------------------------|
| No. | |
| | Cornus florida rubra DT 20' |
| | PINK FLOWERING DOGWOOD |
| | Wide spreading tree with large pink blossoms in May. |
| 49 | 2-3' high \$ 7.35 |
| 8 | 3-4' |
| 12 | 4-5' |
| 18 | 5-6' |
| 24 | 6-7' |
| | Cornus kousa DT 20' KOUSA OR CHINESE DOGWOOD |
| | White flowers and pink fruit. Blossoms about a |
| | month later than other tree dogwoods. |
| 7 | 3-4' high B&B \$ 10.50 |
| 1 | 4-5' heavy |
| 14 | 5-6' heavy |
| 18 | 6-8' heavy |
| | Cornus mas DS 20' CORNELIAN CHERRY |
| | Shrublike tree with yellow flowers in early Spring and scarlet fruit in Fall. |
| 34 | 3-4' high \$ 5.10 |
| 48 | 4-5' 7.20 |
| | Cornus paniculata DS 15' GRAY DOGWOOD |
| | Red stems bearing creamy white blossoms in June and white or pale blue fruits in Fall. |
| | · |
| 12 | 3-4' high |
| | Cotinus coggygria DS 12' SMOKE TREE |
| | Misty purple flowers in August, giving the effect of smoke. |
| 15 | 18-24" high \$ 2.25 |
| 2 | 2-3' |
| 24 | 3-4' 3.60 |
| 3 | 4-5' 4.50 |
| | Cotinue folius numurous DS 12' |
| | Cotinus folius purpureus DS 12' PURPLE SMOKE TREE |
| | Wine red foliage, turning light red in Fall. Misty |
| | bronze to purple "smoke", or blossoms. |
| 40 | |
| 49 | Container grown\$ 7.35 |
| | Cotoneaster adpressa DS 2' CREEPING COTONEASTER |
| | Dwarf, twisting, irregular habit of growth, suitable for rock gardens. Red fruit in Fall. |
| 26 | Container grown |
| | Cotoneaster apiculata DS 4' |
| | CRANBERRY COTONEASTER |
| | Dwarf, low growing shrub covered in Fall with large crimson berries. |
| 19 | Container grown\$ 2.85 |



| Bl | 0 | ε | k |
|----|---|---|---|
| | | | |

Cotoneaster divaricata DS 6'

SPREADING COTONEASTER

A bit more upright and more sprawling than the other Cotoneasters. Pink flowers in June and bright red berries in Fall.

| 24 | 18-24" | spread | .B&B\$ | 3.60 |
|----|--------|--------|--------|-------|
| 3 | 2-3' | | .B&B | 4.50 |
| 4 | 3-4' | | .B&B | 6.00 |
| 53 | 4-5' | | .B&B | 7.95 |
| 7 | 5-6' | | DOD | 10.50 |

Cotoneaster horizontalis DS 2'

ROCK COTONEASTER

Probably the best known Cotoneaster, used for many years for rock gardens or wherever a real prostrate plant is wanted. Small bright red berries in Fall.

16 Container grown\$ 2.40

Crataegus carrieri DT 20'

5-6' high

9

7

CARRIERE HAWTHORN

\$ 13.50

10.50

.B&B.

White flowers in May and large bright red fruit in Fall. Birds do not eat fruit, so it remains on tree late.

| 12 | 6-8′ | B&B | 18.00 |
|----|-------------------------------------|------------------|----------|
| 15 | 8-10' | B&B | 22.50 |
| | Crataegus crus-galli DT 15' | COCKSPUR 1 | HORN |
| | Lustrous deep green leaves m thorn. | ake this a disti | incitive |
| 6 | 3-4' high | R.R.R. ¢ | 0.00 |

Crataegus oxycantha splendens DT 15' PAUL'S DOUBLE SCARLET HAWTHORN

Small upright tree with deep crimson blossoms in May.

Crataegus oxycantha splendens alba DT 15' DOUBLE WHITE HAWTHORN

White blossoms in May and very showy deep red fruit in Fall.

Crataegus oxycantha splendens rosea DT 15' DOUBLE PINK HAWTHORN

Similar to Paul's Scarlet Hawthorn, but pink blossoms.

Crataegus phaenopyrum (cordata) DT 20' WASHINGTON HAWTHORN

Probably the most satisfactory hawthorn because of its clean foliage that turns quite colorful in Fall and its very showy clusters of deep red fruit.

| | PRICES FOR CRATAEGUS EXCEPT WHERE OTHERWISE NOTED | |
|----|---------------------------------------------------|-------|
| 9 | 5-6' high B&B\$ | 13.50 |
| 12 | 6-8' B&B | |
| 15 | 8-10′ | 22.50 |



| Block No. | |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Cydonia japonica DS 5' FLOWERING QUINCE Large orange-red to crimson blossoms in early Spring and large yellow fruits in Fall. |
| 13 18 22 | 15-18" spread \$ 1.95 18-24" 2.70 2-3' 3.30 |
| | Cydonia japonica rubra DS 5' RED FLOWERING QUINCE |
| 15 22 | Similar to above, but red blossoms. Container grown (Medium) \$ 2.25 Container grown (Large) \$ 3.30 Also a limited number of hybrid flowering quinces |
| | Cytisus scoparius DS 10' SCOTCH BROOM Upright bright green stems and bright yellow flowers in May and June. Still used in Scotland as a broom. |
| 12 15 2 3 | 2-3' high \$ 1.80 3-4' \$ 2.25 4-5' \$ 3.00 5-6' \$ 4.50 |
| 2 | Daphne cneorum DS 12" Semi-evergreen foliage. Pink flowers in dense heads in April and again in Sept. Container grown |
| | Daphne mezereum DS 3' FEBRUARY DAPHNE Actually blossoms in Feb. some years. Clusters of pink to purple flowers and scarlet fruits in Aug. and Sept. |
| 49 | 18-24" B&B\$ 7.35 |
| | Desmodium penduliflorum DS 8' (Lespedeza formosa) PURPLE BUSHCLOVER Although it usually dies back to near ground each year it will grow at least 3' high, producing rosy purple flowers in long, drooping racemes in September. |
| 3 | Large \$ 4.50 Extra Large 6.00 |
| | Deutzia gracilis DS 3' SLENDER DEUTZIA Compact, low growing shrub with white flowers in May. |
| 13 15 | 15-18" high |
| | Deutzia lemoinei DS 4' Taller growing and more hardy than D. gracilis. Masses of white flowers in May. |
| 18 24 | 2-3' high \$ 2.70 3-4' \$ 3.60 |
| | Trees are our business—our only business. |



| Block | |
|----------|---------------------------------------------------------------------------------------------------------------|
| No. | Deutzia scabra Pride of Rochester DS 6' |
| | PRIDE OF ROCHESTER DEUTZIA |
| | Double white blossoms in May. Rough textured foliage. |
| 1 | 2-3' high\$ 1.50 |
| 15 | 3-4' |
| 2 | 4-5' 3.00 |
| 3 | 5-6' 4.50 |
| | Elaeagnus angustifolia DS 20' RUSSIAN OLIVE |
| | Fast growing shrub that withstands seashore ex- |
| | posure well. Silvery gray foliage, yellow flowers in May and June and occasionally light green fruit in Fall. |
| 13 | 2-3' high \$ 1.95 |
| 18 | 3-4' |
| 3 | 4-5' |
| 44 | 5-6' 6.60 |
| 53 | 6-8' 7.95 |
| | Elaeagnus longipes DS 8' CHERRY ELAEAGNUS |
| | Broad, spreading shrub. Leaves silvery beneath. Brick red fruit in Fall. |
| 1 | 18-24" spread |
| 15 | 2-3' 2.25 |
| 22 | 3-4' |
| | |
| | Elaeagnus pungens fruitlandi DS 6' THORNY ELAEAGNUS |
| | Semi-evergreen foliage, silvery beneath. Creamy |
| | white flowers in June, red brown fruit in Fall. |
| 16 | Container grown (1 gal.) \$ 2.40 |
| 42 | Container grown (3 gal.) 6.30 |
| | Elaeagnus umbellata DS 12' AUTUMN ELAEAGNUS |
| | Fast growing and withstands seashore exposure. |
| | Grows much more spreading than Russian Olive. |
| | Yellow flowers in May and June and very showy brick red fruit in Fall. |
| 24 | |
| 26 33 | 3-4' spread \$ 3.90 4-5' \$ 4.95 |
| 44 | 4.5' 4.95 5-6' 6.60 |
| 6 | 5-6' heavy 9.00 |
| | , |
| | Enkianthus campanulatus DS 12' |
| | REDVEIN ENKIANTHUS |
| | Pink bell-shaped blossoms in May and beautiful brilliant Fall foliage. |
| 45 | 18-24" high B&B\$ 6.75 |
| 55 | 2-2½' |
| 66 | 2½-3′ B&B 9.90 |
| | Erica John McLaren DS 2' PINK HEATHER |
| | Attractive bell-shaped blossoms twice a year. A |
| | dwarf plant suitable for rock gardens and similar situations. |
| 9 | Container grown \$ 1.35 |



| Block No. | |
|--------------|--------------------------------------------------------------------------------------------------------|
| | Particularly interesting branching habit and unusual winged effect to branchlets. Small yellow flowers |
| | in May followed by reddish-orange berries and brilliant Fall foliage. |
| 16 | 18-24" high\$ 2.10 |
| 3 45 | 2-3' 4.50 3-4' 6.75 |
| 52 | 3-4' 6.75 4-5' 7.80 |
| | Euonymus alatus compacta DS 6' DWARF WINGED EUONYMUS |
| | Sometimes called Burning Bush. Slower growing |
| | and more compact than the above specie. |
| 26 | 18-24" high\$ 3.90 |
| 32 | 2-2½' |
| 4 | 2½-3′heavy |
| 5 66 | 3-3½' heavy 7.50 |
| 8 | 3½-4′ heavy 9.90 4-5′ heavy 12.00 |
| 0 | 4-5 nedvy |
| | Euonymus fortunei coloratus EVG 10' PURPLELEAF WINTERCREEPER |
| | Grows by tiny rootlets that cling to rough surfaces. |
| | Dark deep purple foliage. Grows only about a foot high as a groundcover. |
| 9 | Container grown \$ 1.35 |
| | Euonymus patens BLE 10' |
| | SPREADING EUONYMUS Clean bright green foliage, white flowers in June |
| | and early July, pink fruit in Fall. For a specimen |
| | plant or hedges. |
| 44 | 15-18" high B&B\$ 6.60 |
| 54 | 18-24" B&B 8.10 |
| | Euonymus radicans minima EVG 10' BABY WINTERCREEPER |
| | Clings by rootlets to rough surfaces. Tiny leaves. |
| 14 | Container grown\$ 2.10 |
| | Euonymus radicans vegetus EVG 20' BIGLEAF WINTERCREEPER |
| | Similar to above, but much larger leaves. |
| 19 | Container grown\$ 2.85 |
| | Fagus sylvatica Riversi DT 90' RIVER'S COPPER BEECH |
| | Choice, slow growing tree with deep copper or |
| | maroon colored foliage and a handsome habit of growth. |
| | Available Fall, 1956 |



Forsythia (in variety) DS 8'

FORSYTHIA

One of the most popular flowering shrubs because of its early Spring bright yellow blossoms.

Forsythia compacta nana DS 4'

DWARF FORSYTHIA

Available Fall, 1956

| | Forsythia Lynwood Gold DS 8' |
|-----|--------------------------------------------------------------|
| | LYNWOOD GOLD FORSYTHIA |
| | One of the best of the new varieties. |
| 1 | 18-24" high\$ 1.50 |
| 15 | 2-3' |
| | Forsythia intermedia spectabilis DS 8' |
| | SHOWY BORDER FORSYTHIA |
| | Always one of the best because of its strictly up- |
| | right habit and deep yellow blossoms. |
| 9 | 18-24" high\$ 1.35 |
| 12 | 2-3' 1.80 |
| 16 | 3-4' 2.40 |
| 22 | 4-5' heavy 3.30 |
| 3 | Container grown |
| 3 | 5-6' heavy 4.50 |
| 5 | 6-8' heavy 7.50 |
| | Forsythia Spring Glory DS 8' |
| | SPRING GLORY FORSYTHIA |
| | Lighter yellow blossoms borne all the way down to |
| | the ground. |
| 1 | 18-24" high\$ 1.50 |
| 15 | 2-3' |
| 18 | 3-4' |
| 26 | 4-5' heavy 3.90 |
| 3 | Container grown |
| 36 | 5-6' heavy 5.40 |
| | 3.40 |
| | Ginkgo biloba DT 120' MAIDENHAIR-TREE |
| | One of our most picturesque trees because of its |
| | peculiar branching habit. Lovely fan shaped, light |
| | green leaves. Absolutely free of disease or insect troubles. |
| | |
| 105 | 8-10' high |
| | Gleditsia Moraine DT 80' MORAINE LOCUST |
| | Plant Patent No. 836. An improved, thornless, seed- |
| | less Honeylocust. Casts light shade. |
| 7 | 6-8' high\$ 10.50 |
| 9 | 8-10' 13.50 |
| 11 | 10-12' 16.50 |



| Block No. | |
|--------------|-------------------------------------------------------------------------------------------------------------------|
| | Gleditsia triacanthos DT 60' HONEYLOCUST |
| | Fast growing, irregular headed tree. Tolerates exposure. Small foliage casts light shade. Yellow foliage in Fall. |
| 85 105 | 10-12' high 1½-1½'' caliper B&B \$ 12.75 10-12' 1½-1¾'' B&B 15.75 |
| 13 16 | 10-12'134-2'' |
| | Gleditsia triacanthos inermis DT 60' THORNLESS HONEYLOCUST |
| | Similar to above, but no thorns on trunk and branches. |
| 105 13 | 10-12' high . 1½-1½'' caliper |
| | Gordonia alatamaha DT 20' FRANKLINIA |
| | Large creamy white blossoms in Sept. Foliage light |
| | green, turning scarlet in Fall. |
| 5 | Container grown\$ 7.50 |
| 7 | 3-4' high B&B 10.50 |
| 9 | 4-5' B&B 13.50 |
| 11 14 | 5-6' |
| | |
| | Halesia tetraptera DT 30' SILVERBELL |
| | White, bell-shaped, drooping blossoms in Spring. |
| 15 | Container grown\$ 2.25 |
| | Hammamelis virginiana DS 15' WITCH-HAZEL |
| | Fringy yellow flowers in November. |
| 18 | 2-3' high\$ 2.70 |
| 22 | 3.30 |
| | Hedera helix EVG 15' ENGLISH IVY |
| | Clings by rootlets to rough surfaces or makes an excellent ground cover. Large, dark green, glossy leaves. |
| 22 | Small (21/4" pot grown) \$.33 |
| 9 | Large (4" pot grown) |
| | Hedera helix baltica EVG 15' BALTIC IVY |
| | Similar to above, but somewhat hardier and smaller leaves. Same sizes and prices. |

Our best ads aren't written . . . they're growing into beautiful specimens for our customers.



| Block No. | | |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|
| | Hibiscus syriacus ROSE-OF-SHA | RON |
| | Erect shrub producing showy flowers in Aug. Anemonaeflorus—double red Ardens—double violet Boule de Feu—double red Jeanne d'Arc—double white Lady Stanley—double pink and white Lucy—semi-double deep pink Purpurea semi-plena—double purple Rubis—single red Snowdrift—single white | |
| 13 | 3-4' high\$ | 1.95 |
| 18 | 4-5' | 2.70 |
| 24 | 5-6' | 3.60 |
| 3 | 6-8' | 4.50 |
| 4 6 | 5-6' standard or tree form | 6.00 |
| 8 | | 9.00 |
| 0 | o-o standard or free form, neavy | 2.00 |
| | Hibiscus syriacus Coelestis DS 12' | |
| | BLUE ROSE-OF-SHA | RON |
| | A superior, slow growing variety. | |
| 13 | 2-3' high | 1.95 |
| 18 | 3-4' | 2.70 |
| 24 | 4-5' | 3.60 |
| 3 | 5-6' | 4.50 |
| 6 | 5-6' standard or tree form | 9.00 |
| 8 | | 12.00 |
| | | |
| | Hydrangea arborescens grandiflora DS 6' SNOWHILL HYDRAN | IGEA |
| | Large clusters of pure white flowers from Jun | |
| 10 | Sept. | |
| 13 | 18-24" high\$ | 1.95 |
| 15 18 | 2-3' 3-4' | 2.25 |
| 10 | 5-4 | 2.70 |
| | Hydrangea opuloides (hortensis) DS 4' BLUE HYDRAN | IGEA |
| | In acid soil these plants bear blue blossoms in and July. | June |
| 28 | Container grown\$ | 4.20 |
| | | |
| | Hydrangea paniculata grandiflora DS 10' PEEGEE HYDRAN | IGEA |
| | • | nical |
| 13 | PEEGEE HYDRAN The best known hydrangea, bearing large co pink and white flowers during late July and Au | nical ug. |
| 13 15 | PEEGEE HYDRAN The best known hydrangea, bearing large co pink and white flowers during late July and Au 18-24" high\$ | nical og. 1.95 |
| | PEEGEE HYDRAN The best known hydrangea, bearing large co pink and white flowers during late July and Au 18-24" high | nical og. 1.95 2.25 |
| 15 | PEEGEE HYDRAN The best known hydrangea, bearing large copink and white flowers during late July and Au 18-24" high | nical og. 1.95 |
| 15 18 | PEEGEE HYDRAN The best known hydrangea, bearing large co pink and white flowers during late July and Au 18-24" high \$ 2-3" 3-4" 5-6 standard or tree form. Container grown | nical og. 1.95 2.25 2.70 |
| 15 18 | PEEGEE HYDRAN The best known hydrangea, bearing large co pink and white flowers during late July and Au 18-24" high | nical ug. 1.95 2.25 2.70 9.00 |
| 15 18 | PEEGEE HYDRAN The best known hydrangea, bearing large copink and white flowers during late July and Au 18-24" high | 1.95 2.25 2.70 9.00 |
| 15 18 | PEEGEE HYDRAN The best known hydrangea, bearing large co pink and white flowers during late July and Au 18-24" high | 1.95 2.25 2.70 9.00 |



| Block No. | Hydrangea quercifolia DVG 10' |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00 | OAKLEAF HYDRANGEA Pink-white blossoms in July and colorful Fall foliage. |
| 23 | Container grown |
| | Hypericum densiflorum DS 6' DENSE ST. JOHNSWORT |
| 1 | Brilliant yellow flowers from July to Sept. 18-24" high\$ 1.50 |
| 12 | 2-21/2' 1.80 |
| 14 | 2½-3′ 2.10 |
| | Hypericum Hidcote DS 2' HIDCOTE ST. JOHNSWORT |
| | Waxy, golden yellow blossoms from July to Sept. A more hardy, prostrate grower. |
| 22 | Container grown |
| | Hypericum kalmianum DS 3' KALM ST. JOHNSWORT |
| | |
| 7 | Free branching shrub with yellow blossoms in Aug. 18-24" high |
| | llex aquifolium J. C. Van Tol (female) BLE 40' ENGLISH HOLLY |
| 33 | One of the hardiest varieties. Glossy dark green foliage and large bright red berries. Container grown |
| | Ilex aquifolium mascula (male) BLE 40' |
| | ENGLISH HOLLY |
| 2 | One male plant is needed to pollenize the blossoms of your female plants and produce berries on them. Container grown |
| | Ilex cornuta burfordi BLE 10' BURFORD HOLLY One of the most beautiful Chinese Hollies. Dark green, glossy foliage and clusters of red, shining fruit. Male and female plants not necessary for berries. |
| 2 75 | Container grown (1 gal.) |
| | How growner DIE 10/ HDDICHT LADANISSE HOLLY |
| 5 | Ilex crenata BLE 10' UPRIGHT JAPANESE HOLLY Compact, upright habit of growth. Dark green foliage. Glossy black berries in Fall and Winter. 18-24" high |
| 1 | 2-3' B&B 12.00 |
| 15 | 3-4' |
| 18 | 4-5' |
| | Ilex crenata BLE 3' Most of our plants are seedlings, so they vary in |
| 4- | appearance. |
| 49 | 18-24" spread B&B \$ 7.35 |
| 7 | 2-2½′ |
| 99 | 2½-3′ B&B 14.85 |
| 135 | 3-3½' |
| 18 | 3½-4′ B&B 27.00 |



| Block | |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| No. | llex crenata convexa (bullata) BLE 4' |
| | BOXLEAF HOLLY |
| | Low and spreading with dense, glossy, dark green, cup-shaped leaves and glossy black fruit. |
| 36 | 12-15" spread B&B\$ 5.40 |
| 44 | 15-18" B&B 6.60 |
| 54 | 18-24" |
| 8 | 2-2½' |
| 11 | 2½-3′ |
| 15 | 3-3½' B&B 22.50 |
| | Ilex crenata convexa Hetzi BLE 4' HETZ BOXLEAF HOLLY |
| | |
| | Similar to above, but somewhat larger, darker green and more glossy foliage. Presumably an improved variety. |
| 38 | 12-15" spread |
| 46 | 15-18" 6.90 |
| | |
| | Ilex crenata helleri BLE 3' |
| | HELLER'S JAPANESE HOLLY |
| | A miniature pin cushion effect. Very small leaves, very dwarf, compact habit of growth. |
| 19 | Container grown\$ 2.85 |
| | Ilex crenata rotundifolia BLE 6' ROUNDLEAF JAPANESE HOLLY |
| | |
| | Gives about the same effect as boxwood, but a lot |
| | more satisfactory, in that it is perfectly hardy and not subject to any troublesome insect or disease |
| | attacks. Shears nicely. |
| , | |
| 6 | 18-24" spread B&B \$ 7.50 2-21/2' B&B 12.00 |
| 8 13 | 72.00 |
| 19 | |
| 17 | 3-3½' B&B 28.50 |
| | Ilex glabra BLE 8' INKBERRY |
| | A native plant. Medium green, glossy foliage, ink |
| | black berries in Fall and Winter. Shears well. |
| 36 | 15-18" spread |
| 44 | 18-24" B&B 6.60 |
| 54 | 2-2½' heavy |
| 64 | 2½-3' heavy |
| 8 | 3-3½' heavy B&B 12.00 |
| 1 | 3½-4′ heavy |
| | |
| | Ilex opaca BLE 40' AMERICAN HOLLY |
| | Pyramidal tree with dark, glossy green leaves with |
| | spines. Scarlet berries in Fall and Winter. The traditional Christmas holly so well known to everyone. Both male and female plants needed for berries. |
| 75 | 2½-3′ high B&B\$ 11.25 |
| 9 | 3-3½' B&B 13.50 |
| 11 | 3½-4′ B&B 16.50 |
| | Also a number of choice selected hybrid varieties |
| | being grown in containers. Ask for prices. |



| Block | |
|----------|----------------------------------------------------------------------------------------------------------------------------------|
| No. | 11 |
| | Ilex verticillata DS 10' WINTERBERRY |
| | Upright habit of growth. Brilliant scarlet fruit after the leaves drop in Fall. Male and female plants needed for berries. |
| 35 48 | 2-3' high, heavy B&B \$ 5.25 3-4' heavy B&B 7.20 |
| | Jasminum nudiflorum DS 15' WINTER JASMINE |
| | Showy shrub with yellow blossoms in early Spring. Green stems. |
| 21 | Container grown |
| | Juniperus chinensis columnaris NLE 20' CHINESE COLUMN JUNIPER |
| | Narrow pyramid with blue foliage and sharply pointed needles. |
| 5 | 2-2½' high B&B\$ 7.50 |
| 6 | 2½-3′ |
| 7 | 3-4' |
| 9 | 4-5' B&B 13.50 |
| | Juniperus chinensis pfitzeriana NLE 3' |
| | PFITZER JUNIPER |
| | A very hardy, low spreading evergreen with gray- |
| | green foliage. |
| 5 | 18-24" spread \$ 7.50 |
| 6 | 2-2½' |
| 75 | 2½-3′ B&B 11.25 |
| 9 | 3-3½' B&B 13.50 3½-4' B&B 16.50 |
| 12 | 3½-4′ B&B 16.50 4-5′ B&B 18.00 |
| | 10.00 |
| | Juniperus chinensis pfitzeriana compacta NLE 3' |
| | COMPACT PFITZER JUNIPER |
| | Similar to above, but more dense and somewhat |
| 10 | slower growing. A better plant for foundation groups. |
| 18 55 | Container grown (1 gal.) \$ 2.70 18-24" spread \$ 8.25 |
| 66 | 2-2½' B&B 9.90 |
| 8 | 2½-3′ B&B 12.00 |
| 1 | 3-3½' B&B 15.00 |
| | Juniperus chinensis pfitzeriana hetzi glauca NLE 6' HETZ BLUE PFITZER JUNIPER |
| | Similar to above, but more upright spreading and |
| | has real blue foliage. |
| 5 | 18-24" spread B&B\$ 7.50 |
| 6 | 2-2½' B&B 9.00 |
| 8 | 2½-3′ |
| | Juniperus chinensis sargenti NLE $1\frac{1}{2}$ SARGENT JUNIPER |
| | Probably the best prostrate juniper. Bright green |
| 2 | foliage. Container grown (1 gal.) |
| | 07 |



| Block No. | |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Juniperus horizontalis Bar Harbor NLE 1' BAR HARBOR JUNIPER |
| 18 | One of the best prostrate junipers. Soft blue foliage in Summer, turning in Winter to a deeper blue with undertones of plum color. Container grown (1 gal.) |
| | Juniperus horizontalis depressa plumosa NLE 1' ANDORRA'S PURPLE SPREADING JUNIPER |
| | A very prostrate type. Branchlets and tips cling right to the ground. After frost the foliage turns a beautiful purple. |
| 36 46 5 6 | 12-15" spread B&B \$ 5.40 15-18" B&B 6.90 18-24" B&B 7.50 2-2½' B&B 9.00 |
| | Juniperus virginiana NLE 40' RED CEDAR |
| | A native tree that grows into a beautiful column. Bright, rich foliage varying in color from dull gray through blue to deep green. Waxy blue berries. Very hardy. |
| 3 | 2-3' high B&B \$ 4.50 |
| 4 | 3-4' B&B 6.00 |
| 6 9 | 4-5' B&B 9.00 5-6' B&B 13.50 |
| , | Juniperus virginiana cupressifolia NLE 30' |
| | HILLSPIRE JUNIPER |
| | Improved form of the native Red Cedar. Bright green foliage. |
| 55 | 2-3' high B&B \$ 8.25 |
| 7 | 3-4' B&B 10.50 |
| 9 | 4-5' |
| | Juniperus virginiana glauca NLE 30' SILVER CEDAR |
| | One of the best of the blue cedars. |
| 8 | 3-4' high B&B\$ 12.00 |
| 12 | 4-5' |
| | Kalmia latifolia BLE 6' MOUNTAIN LAUREL |
| | Glossy, dark green foliage. Pink buds, white blossoms in June. Nursery grown plants, not collected plants. |
| 26 | 12-15" high B&B\$ 3.90 |
| _. 35 | 15-18" B&B 5.25 |
| 4 | 18-24" |
| 52 | 2-2½' B&B 7.80 |
| 6 8 | 2½-3′ |
| 8 | 3-3½' B&B 12.00 |



| Block No. | |
|--------------|----------------------------------------------------------------------------------------------------------------------------------|
| | Kerria japonica DS 6' Slender branched shrub with green twigs in Winter and yellow blossoms from June to Sept. Tolerates shade. |
| 13 | 18-24" high \$ 1.95 |
| | Koelreuteria paniculata DT 30' GOLDENRAIN TREE |
| 72 | Golden yellow flowers in panicles in July. 6-8' high |
| 1 | 8-10' B&B 15.00 |
| | Kolkwitzia amabilis DS 8' BEAUTYBUSH |
| | Long sprays of graceful foliage. Delicate pink blossoms in June. |
| 13 | 18-24" high\$ 1.95 |
| 15 18 | 2-3' |
| 24 | 3-4' |
| 3 | 5-6' 4.50 |
| | Laburnum vossii DT 30' |
| | LONGCLUSTER GOLDENCHAIN |
| | Bright yellow blossoms in long, drooping racemes in |
| 9 | June. Green bark. An unusual tree at any season. 6-8' high |
| 12 | 8-10' B&B 18.00 |
| | Lagerstroemia indica DS 8' CRAPE MYRTLE |
| | A very popular tree farther south. Bright green foliage and crapelike red blossoms from Aug. to Oct. |
| 14 | Container grown (1 gal.) \$ 2.10 |
| 17 | Container grown (2 gal.) 2.55 |
| | Larix leptolepis NLE 60' JAPANESE LARCH |
| | Bright green needles that may fall in Winter. Broadly pyramidal tree. |
| 64 | 4-5' high |
| 95 | 5-6' B&B 14.25 |
| | Laurocerasus caroliniana BLE 20' CHERRY-LAUREL Glossy dark green foliage, creamy white flowers, and shiny black fruit. |
| 16 | Container grown (1 gal.) |
| 42 | Container grown (3 gal.) 6.30 |
| 63 | Container grown (5 gal.) 9.45 |
| | Leucothoe catesbaei BLE 4' DROOPING LEUCOTHOE |
| | Open spreading habit of growth. Waxy white blos- |
| | soms like Andromeda in May. Purple-red foliage in Fall. |
| 35 | 12-15" spread |
| 4 | 15-18" B&B 6.00 |
| 46 | 18-24" B&B 6.90 |
| 55 66 | 2-2½' B&B 8.25 2½-3' B&B 9.90 |
| 00 | 2½-3′B&B 9.90 |



Block

| No. | | | | | |
|-----|-----------------------------------------------------------------------------------------------|--|--|--|--|
| | Ligustrum ibota regelianum DS 6' REGEL PRIVET | | | | |
| | Low, spreading shrub. Light green foliage, blue | | | | |
| | berries in Fall and Winter. Tolerates seaside ex- | | | | |
| 11 | posure. 18-24" spread | | | | |
| 15 | 2-3' 2.25 | | | | |
| 22 | 3-4' | | | | |
| 3 | 4-5' 4.50 | | | | |
| 4 | 5-6' 6.00 | | | | |
| 6 | 6-8' 9.00 | | | | |
| | Limotoma conditation DS 10/ | | | | |
| | Ligustrum ovalifolium DS 10' CALIFORNIA PRIVET | | | | |
| | Still the most popular hedge plant. | | | | |
| | Each 100 | | | | |
| 24 | 2-3' high, 2 years old | | | | |
| 3 | 3-4' 2 years | | | | |
| 13 | 4-5' clumps | | | | |
| 18 | 5-6' clumps | | | | |
| 24 | 6-8' clumps | | | | |
| | Ligustrum Suwanee River BLE 4' | | | | |
| | SUWANEE RIVER PRIVET | | | | |
| | Plant Patent No. 1402. A new broadleaved privet | | | | |
| | that will probably prove to be quite hardy here. | | | | |
| | Low, spreading habit of growth; compact, dark green | | | | |
| 49 | foliage. 18-24" spread | | | | |
| 7/ | 10-24 spread bab 7.33 | | | | |
| | Liquidambar styraciflua DT 60' SWEETGUM | | | | |
| | Symmetrical, pyramidal tree with cork-ridged bark | | | | |
| | and star-shaped leaves that turn brilliantly in Fall. | | | | |
| 9 | 6-8' high | | | | |
| 13 | 8-10' high, 1½-1¾'' caliper B&B 19.50 | | | | |
| 19 | 8-10' 1 ³ / ₄ -2'' B&B 28.50 | | | | |
| | I'' I. I. I''' DT 00/ | | | | |
| | Liriodendron tulipifera DT 80' TULIPTREE Unusually straight trunk. Creamy white, tulip-shaped | | | | |
| | blossoms in June. | | | | |
| 11 | 10-12' high, 1½-1¾" caliper B&B\$ 16.50 | | | | |
| 14 | 10-12' 1 ³ / ₄ -2" | | | | |
| 18 | 10-12' 2-2½'' B&B 27.00 | | | | |
| | 1 | | | | |
| | Lonicera fragrantissima DS 10' WINTER HONEYSUCKLE | | | | |
| | Semi-evergreen, bright green foliage. Fragrant, | | | | |
| | creamy white flowers in Apr. and May. | | | | |
| 1 | 18-24" spread\$ 1.50 | | | | |
| 15 | 2-3' 2.25 | | | | |
| 2 | 3-4' 3.00 | | | | |
| 3 | 4-5' 4.50 | | | | |
| | Lonicera heckrotti DVG 15' | | | | |
| | EVERBLOOMING HONEYSUCKLE | | | | |
| | Very hardy vine with large, fragrant, flame red | | | | |
| | blossoms in clusters like miniature firecrackers | | | | |
| | throughout the Summer. | | | | |
| 14 | Container grown (1 gal.) \$ 2.10 | | | | |
| 6 | Container grown (5 gal.) 9.00 | | | | |



| BI | oc | k |
|----|-----|---|
| N | lo. | |

| | Lonicera japonica halliana DVG 20' |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | HALL'S JAPANESE HONEYSUCKLE |
| | |
| | Fragrant yellow-white blossoms from mid-Summer |
| | to frost. |
| 5 | Container grown (3" pots)\$.75 |
| 8 | Container grown (6" pots) 1.20 |
| | |
| | Lonicera morrowi DS 8' MORROW HONEYSUCKLE |
| | White flowers during May and June, followed by red |
| | fruit in July and Aug. A wide spreading plant. |
| 9 | 18-24" high\$ 1.35 |
| 11 | 2-3' 1.65 |
| 15 | 3-4' |
| 22 | 4-5' 3.30 |
| | 0,00 |
| | Lonicera tatarica rosea DS 10' |
| | ROSY TARTARIAN HONEYSUCKLE |
| | Pink blossoms in May and June. Red fruit. |
| | Same sizes and prices as above. |
| | Same sizes and prices as above. |
| | Lonicera tatarica rubra DS 10' |
| | RED TARTARIAN HONEYSUCKLE |
| | Red blossoms in May and June. Red fruit. Same |
| | · |
| | sizes and prices as L. morrowi. |
| | Lonicera tellmanniana DVG 15' |
| | TELLMANN HONEYSUCKLE |
| | Hardy vine of rapid growth. |
| 5 | |
| 5 | Container grown |
| | Manualia alama DT 00/ |
| | Magnolia glauca DT 20' SWEETBAY |
| | White blossoms from June to Aug. Red fruit. Avail- |
| | able Fall, 1956. |
| | |
| | |
| | |
| | Magnolia soulangeana DT 20' |
| | Magnolia soulangeana DT 20' SAUCER MAGNOLIA |
| | SAUCER MAGNOLIA |
| | Shrublike tree bearing large rose-pink or purple |
| 6 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. |
| 6 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high |
| 8 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high \$ 9.00 Container grown (5 gal.) 12.00 |
| 8 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high |
| 8 8 11 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 |
| 8 8 11 14 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 |
| 8 8 11 14 16 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 24.00 |
| 8 8 11 14 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 |
| 8 8 11 14 16 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 24.00 7-8' heavy B&B 30.00 |
| 8 8 11 14 16 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 24.00 7-8' heavy B&B 30.00 Magnolia soulangeana lennei DT 20' |
| 8 8 11 14 16 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 24.00 7-8' heavy B&B 30.00 Magnolia soulangeana lennei DT 20' LENNE MAGNOLIA |
| 8 8 11 14 16 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 24.00 7-8' heavy B&B 30.00 Magnolia soulangeana lennei DT 20' |
| 8 8 11 14 16 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 24.00 7-8' heavy B&B 30.00 Magnolia soulangeana lennei DT 20' LENNE MAGNOLIA Rich, deep purple blossoms coming after M. soulangeana. |
| 8 8 11 14 16 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 30.00 Magnolia soulangeana lennei DT 20' LENNE MAGNOLIA Rich, deep purple blossoms coming after M. soul- |
| 8 8 11 14 16 2 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 24.00 7-8' heavy B&B 30.00 Magnolia soulangeana lennei DT 20' LENNE MAGNOLIA Rich, deep purple blossoms coming after M. soulangeana. 4-5' high B&B \$ 18.00 |
| 8 8 11 14 16 2 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 24.00 7-8' heavy B&B 30.00 Magnolia soulangeana lennei DT 20' LENNE MAGNOLIA Rich, deep purple blossoms coming after M. soulangeana. 4-5' high B&B \$ 18.00 Magnolia stellata DT 8' STAR MAGNOLIA |
| 8 8 11 14 16 2 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 24.00 7-8' heavy B&B 30.00 Magnolia soulangeana lennei DT 20' LENNE MAGNOLIA Rich, deep purple blossoms coming after M. soulangeana. 4-5' high B&B \$ 18.00 |
| 8 8 11 14 16 2 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high B&B \$ 9.00 Container grown (5 gal.) 12.00 3-4' B&B 12.00 4-5' heavy B&B 16.50 5-6' heavy B&B 21.00 6-7' heavy B&B 24.00 7-8' heavy B&B 30.00 Magnolia soulangeana lennei DT 20' LENNE MAGNOLIA Rich, deep purple blossoms coming after M. soulangeana. 4-5' high B&B \$ 18.00 Magnolia stellata DT 8' STAR MAGNOLIA |
| 8 8 11 14 16 2 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high |
| 8 8 11 14 16 2 | SAUCER MAGNOLIA Shrublike tree bearing large rose-pink or purple blossoms in early Spring before the leaves appear. 2-3' high |



Biock No.

3

Mahonia aquifolium BLE 4'

OREGON HOLLYGRAPE

Yellow flowers in Spring and light blue berries. Needs protection from sun and wind.

18-24" high B&B\$ 4.50

Malus (in variety) DT FLOWERING CRAB Small ornamental trees with showy array of blossoms in May and heavy crop of colorful fruit in Fall.

| | PRICES FOR | MALUS | |
|----|-------------------|-------------|-------|
| | EXCEPT WHERE OTHE | RWISE NOTED | |
| 4 | Container grown | \$ | 6.00 |
| 9 | 6-7' high, heavy | B&B | 13.50 |
| 11 | 7-8' heavy | B&B | 16.50 |
| 15 | 8-10' heavy | B&B | 22.50 |
| 18 | 10-12' heavy | B&B | 27.00 |

Malus atrosanguinea 20' CARMINE CRAB
Deep crimson buds and pink blossoms. Red-yellow
fruit. Measured by spread.

Malus baccata 30' SIBERIAN CRAB
Pink buds, pure white blossoms, yellow fruit.

Malus dolga 15'

Pure white buds and blossoms, red fruit.

Malus eleyi 20' ELEY CRAB New foliage is red. Purple-red blossoms, deep red fruit.

Malus floribunda 20'

Carmine buds, blossoms open pink and fadé to white, yellow fruit.

Malus floribunda arnoldiana 12' ARNOLD CRAB
Semi-double pink blossoms, yellow fruit.

Malus halliana parkmani 15' PARKMAN CRAB Dark rose buds, semi-double pale pink blossoms, brown-red fruit.

Malus hopa 12'

Bronzy foliage, single deep pink blossoms, red fruit.

Malus Red Silver 12' RED SILVER CRAB Similar to M. eleyi, but smaller, darker colored fruit.

Malus theifera 12'

Rose-red buds, pink blossoms, yellow fruit.

Malus sargenti 8' SARGENT CRAB Snowy white blossoms, abundant red fruit. Sprawling habit of growth.

| 6 | 3-4' | spread | | 9.00 |
|----|------|--------|-----|-------|
| 8 | 4-5' | | | 12.00 |
| 11 | 5-6' | | | 16.50 |
| 15 | 6-7' | | RAR | 22.50 |

Malus scheideckeri 20' SCHEIDECKER CRAB

Double pink blossoms and yellow fruit. Same prices
as M. zumi.



| Block | |
|-------|-----------------------------------------------------|
| No. | Malus zumi-calocarpa 15' ZUMI CRAB |
| 140. | Shrub-like habit of growth with multiple stems. |
| | Double pink blossoms and yellow fruit. |
| 5 | 3-4' high B&B\$ 7.50 |
| 6 | 4-5' B&B 9.00 |
| 1 | 5-6' |
| 14 | 6-7' |
| | Myrica carolinensis DS 5' NORTHERN BAYBERRY |
| | Very hardy. Low and spreading with dark green |
| | foliage and light gray berries, which are used |
| | for making candles. |
| 28 | 15-18" high B&B\$ 4.20 |
| 36 | 18-24" B&B 5.40 |
| 4 | 2-2½' B&B 6.00 |
| 46 | 2½-3′ B&B 6.90 |
| 66 | 3-3½' B&B 9.90 |
| | Nandina domestica DS 6' HEAVENLY BAMBOO |
| | Red foliage and bright red fruit in Fall. |
| 36 | 2½-3′ high B&B\$ 5.40 |
| 30 | |
| | Nyssa sylvatica DT 60' TUPELO OR PEPPERIDGE |
| | A native tree with a straight trunk, sweeping |
| | branches and brilliantly colored Fall foliage. |
| 9 | 4-5' high\$ 13.50 |
| | Oxydendrum arboreum DT 40' SOURWOOD |
| | Slender, graceful tree with creamy white blossoms |
| | in long, curving racemes in July and Aug. Brilliant |
| | scarlet Fall foliage. |
| 4 | 2-3' high B&B\$ 6.00 |
| 56 | 3-4' B&B 8.40 |
| 7 | 4-5' B&B 10.50 |
| 1 | 5-6' |
| 12 | 6-8' B&B 18.00 |
| | Pachistima canbyi DVG 6" CANBY PACHISTIMA |
| | Grows in thick masses. Green and bronze foliage. |
| 21 | Container grown\$ 3.15 |
| | Pachysandra terminalis EVG 1' |
| | racnysanara terminalis 2VO 1 |
| | JAPANESE PACHYSANDRA OR SPURGE |
| | One of the best ground covers for shade. Often |
| | used where grass is difficult to grow and for low |
| | border in front of foundation plantings. Rich green |
| | foliage. Small white flowers. |
| 12 | Small (21/4" pot grown) |
| 14 | Medium (2½" pot grown) |
| 18 | Large (3" pot grown) 27.00 |
| 10 | |
| | Philadelphus coronarius DS 10' |
| | SWEET MOCKORANGE |
| | Upright branches bearing single pure white fragrant |
| | flowers in June. |
| 15 | 3-4' high\$ 2.25 |
| 2 | 4-5' 3.00 |
| 25 | 5-6' 3.75 |
| 36 | 6-8' |
| 5 | 6-8' heavy 7.50 |
| | |



CONTAINER G

Growing trees and shrubs in metal cans has been standard practice in California, Florida and Texas for years and the idea is fast "catching on" here. We have been growing plants in several kinds of containers for over two years now and we are very enthusiastic about the (1) better growth, (2) improved appearance, (3) easier, quicker, more economical handling, (4) extension of the planting seasons, and (5) reduced transplanting shock.

We don't anticipate becoming a "canned" nursery, but we do intend to increase our container production of certain plants and we are convinced that the idea is here to stay.

Like most other good ideas, there are some precautions

Abelia

Crimson King Maple

Actinidia

Akebia

Virginia Creeper

Engelmann Creeper

Boston Ivy

Geranium Creeper

Flowering Peach

Bearberry

Dutchman's Pipe

Crimson Pygmy Barberry

Butterflybush

Camellia

Trumpetcreeper

Bluemist

Bittersweet

Redbud

Katsura Tree

Clematis

Smoke Tree

Cotoneaster

Flowering Quince

Daphne

Elaeagnus

Heather

Wintercreeper

Forsythia

Franklinia

Silverbell

English Ivy

Baltic Ivy

Hydrangea

St. Johnswort



OWN PLANTS

necessary and the most obvious one is to recognize the difference between plants actually grown and established in containers, ready to plant out with a good root system and every reasonable chance for success, and those plants that have been recently placed in containers and are being offered as container grown stock. It costs plenty of money to grow plants well in containers and they are priced higher than the others just mentioned.

If you haven't bought plants this way, why not visit our attractive container area and see for yourself? Here are some of the plants you may expect to find . . . See Index for Page Numbers.

English Holly

Chinese Holly

Japanese Holly

American Holly

Jasmine

Juniper

Crape Myrtle

Cherry-Laurel

Suwanee River Privet

Honeysuckle

Magnolia

Flowering Crab

Bamboo

Pachistima

Pachysandra

Photinia

Andromeda

Fleecevine

Purpleleaf Plum

Flowering Almond

Oriental Cherry

Firethorn

Roses

Pussy Willow

Skimmia

Germander

Viburnum

Myrtle

Kemp Tree

Weigela

Wisteria

Yellowroot

Fruit trees



В

| Block | | |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| No. | Philadelphus Minnesota Snowflake DS 8' | |
| | M. S. MOCKORA | NGE |
| | Plant Patent No. 538. Similar to above, but do | ouble |
| | white, fragrant blossoms. | |
| 12 | 18-24" high\$ | 1.80 |
| 15 | 2-3' | 2.25 |
| | | 3.00 |
| 2 | 3-4' | 3.75 |
| 25 | 4-5' | 4.50 |
| 3 | 5-6' | 4.50 |
| | Philadelphus virginalis DS 8' | |
| | VIRGINAL MOCKORA | NGE |
| | Very large, semi-double, fragrant white blos | |
| | most of the Summer. | |
| | | 1.95 |
| 13 | 18-24" high\$ | |
| 15 | 2-3' | 2.25 |
| 17 | 3-4' | 2.55 |
| 24 | 4-5' | 3.60 |
| 32 | 5-6' | 4.80 |
| | | |
| | Photinia serrulata nova BLE 3' | |
| | COMPACT CHINESE PHO | |
| | Large, dark green, thick, shiny leaves, turning r | ed in |
| | Fall. White clustered flowers in Spring. | |
| 16 | Container grown (1 gal.)\$ | 2.40 |
| | Comainer grown (1 gan) the territorial | |
| | The state of the second of the | TIBLLA |
| | Photinia villosa DS 15' RED-BERRIED PHO | |
| | White flowers in broad, flat heads. Cluste | rs or |
| | bright red berries in Fall. | |
| 12 | 2-3' high\$ | 1.80 |
| 18 | 3-4' | 2.70 |
| 26 | 4-5' | 3.90 |
| 4 | 5-6' | 6.00 |
| | | |
| | Picea canadensis NLE 90' WHITE SE | RUCE |
| | Symmetrical, pyramidal tree with gray-green ne | edles. |
| 33 | 18-24" high B&B\$ | 4.95 |
| | 2-3' | 6.90 |
| 46 | 2-3 | 0.70 |
| | Picea excelsa NLE 75' NORWAY SI | PRIICE |
| | Tited exects Title 10 | KOCL |
| | Rapid grower. Dark green needles. | |
| 36 | 2-3' high\$ | 5.40 |
| 52 | 3-4' | 7.80 |
| 64 | 4-5' B&B B&B | 9.60 |
| | | |
| | Picea glauca conica NLE 6' | |
| | DWARF ALBERTA S | PRUCE |
| | Unusually slow, compact growth. Light | green |
| | needles. | |
| 5 | 12-15" high B&B\$ | 7.50 |
| . 6 | 15-18" B&B | 9.00 |
| o 8 | | 12.00 |
| | | 15.00 |
| 1 | | 18.00 |
| 12 | 2½-3′ B&B | 21.00 |
| 14 | 3-3½' B&B | 21.00 |



| Block No. | |
|--------------|------------------------------------------------------------------------------------------------------|
| 110. | Picea omorika NLE 50' SERBIAN SPRUCE |
| | Choicest of the large spruces. Needles light green |
| | above, silvery beneath. Slow growing. |
| 7 | 2-3' high |
| 85 | 3-4' B&B 12.75 |
| 18 | 4-5' |
| 22 | 5-6' B&B 33.00 |
| | Picea orientalis NLE 75' ORIENTAL SPRUCE |
| | Resembles Norway Spruce, but much slower growing |
| | and darker, richer green needles. A very choice tree. |
| 8 | 2½-3′ high |
| 11 | 3-4' |
| 14 | 4-5' |
| 18 | 5-6' |
| | |
| | Picea pungens NLE 60' GREEN COLORADO SPRUCE |
| | Stiff, horizontal branches. Medium green needles. |
| | Very hardy. |
| 4 | 18-24" high B&B\$ 6.00 |
| 6 8 | 2-3' B&B 9.00 |
| 0 | 3-4' B&B 12.00 |
| | Picea pungens glauca NLE 60' |
| | BLUE COLORADO SPRUCE |
| | Same as above, but blue needles. |
| 5 | 18-24" high B&B\$ 7.50 |
| 7 | 2-3' B&B 10.50 |
| 95 | 3-4' |
| | Discis O. H. J. DIF O. |
| | Pieris floribunda BLE 3' MOUNTAIN ANDROMEDA |
| | Low, spreading shrub with rough textured, dark green foliage and clusters of striking white blossoms |
| | in April. |
| 4 | 15-18" spread B&B \$ 6.00 |
| 44 | 18-24" B&B 6.60 |
| | D' ' I I |
| | Pieris japonica BLE 10' JAPANESE ANDROMEDA |
| 46 | Upright shrub, similar to above, but glossier foliage. |
| 62 | 18-24" high Container grown \$ 6.95 2-2½" Container grown 9.30 |
| 75 | 2-2½ |
| | 11.25 |
| | Pinus montana mughus NLE 4' MUGHO PINE |
| | Low, round, dense growth. Very hardy. Stiff, |
| | medium green needles. |
| 24 | 12-15" spread B&B\$ 3.60 |
| 37 | 15-18"B&B 5.55 |
| 44 | 18-24" B&B 6.60 |
| 5 | 2-2½' B&B 7.50 |
| 6 | 2½-3′ B&B 9.00 |
| | Pinus nigra NLE 50' AUSTRIAN PINE |
| | Rapid grower with long, dark green needles. Second |
| | only to Jap. Black Pine for hardiness in severe |
| | exposures. |
| 66 | 2-3' high B&B\$ 9.90 |
| 9 | 3-4' B&B 13.50 |
| | 10.00 |



Block No.

| | Pinus resinosa NLE 50' RED PINE | |
|-----|----------------------------------------------------|---|
| | More dense than most pines. Rapid grower. Long, | |
| | rather soft, dark green needles. | |
| 4 | 2-3' high \$ 6.00 | |
| 5 | 3-4' B&B 7.50 | |
| 66 | 4-5' B&B 9.90 | |
| 00 | | |
| | Pinus strobus NLE 75' WHITE PINE | |
| | Open habit with graceful, sweeping branches. Soft, | |
| | steel blue needles. | |
| 6 | 3-4' high\$ 9.00 | |
| 8 | 4-5' B&B 12.00 | |
| 1 | 5-6' B&B 15.00 | |
| 132 | 6-7' B&B 19.80 | |
| 18 | 7-8' heavy B&B 27.00 | |
| 24 | 8-10' heavy | |
| 29 | 10-12' heavy | |
| 34 | 12-14' heavy | |
| 34 | 12-14 Heavy 51.00 | |
| | Pinus thunbergi NLE 60' | |
| | JAPANESE BLACK PINE | |
| | An outstanding tree for salt water exposures. Wide | |
| | spreading and of irregular growth. Stiff, medium | |
| | green needles. | |
| E | 18-24" high B&B \$ 7.50 | |
| 5 | | |
| 44 | 20 ng | |
| 66 | 2-3' heavy | |
| 9 | 3-4' heavy | |
| 12 | 4-5' heavy | |
| 15 | 5-6' heavy B&B 22.50 | |
| | Platanus acerifolia DT 80' LONDON PLANETREE | |
| | | |
| | Straight trunk, broad head. Tolerates exposure and | |
| | city conditions. | |
| 53 | 8-10' high 1-1¼" coliper \$ 7.95 | |
| 75 | 8-10' | |
| 9 | 8-10' 1½-1¾" 13.50 | |
| 12 | 8-10' | |
| 16 | 10-12' | |
| 22 | 10-12' |) |
| | | |
| | Platanus occidentalis DT 75' AMERICAN PLANETREE | |
| | Good shade or street tree with picturesque, rugged | |
| | growth. Develops smooth, almost white bark with |) |
| | age. | |
| 9 | 8-10' high |) |
| 12 | 10-12' 18.00 |) |
| 16 | 12-14' 2½-3'' 24.00 |) |
| | | |
| | Polygonum auberti DVG 25' CHINA FLEECEVINE | |
| | Very rapid grower (as much as 6' in a season). | |
| | Bronzy young leaves, turning light green. Tiny | |
| | white blossoms borne abundantly from Aug. to Oct | |
| 12 | Container grown\$ 1.80 |) |
| | Potentilla fruticosa DS 3' SHUBBY CINQUEFOII | |
| | Golden yellow flowers from June to Sept. Low and | |
| | · | |
| 12 | spreading. | 1 |
| 12 | 2-3' spread\$ 1.80 | - |
| | | |



Block No.

| No. | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------|
| 4 | Prunus blireiana DT 12' PURPLELEAF PLUM Brick red foliage and showy double pink blossoms in Spring. |
| 4 | Container grown\$ 6.00 |
| 1 | 6-8' high |
| 14 | 8-10' B&B 21.00 |
| | Prunus cerisifera Newport DT 12' |
| | NEWPORT PURPLELEAF PLUM |
| | Rich, maroon foliage and single white blossoms in |
| | May. |
| 4 | Container grown\$ 6.00 |
| 9 | 5-6' high |
| 11 | 6-8' B&B 16.50 |
| | |
| | Prunus cerisifera Thundercloud DT 12' |
| _ | THUNDERCLOUD PURPLELEAF PLUM |
| 7 | Container grown\$ 10.50 |
| 1 | 6-8' high |
| 14 | 8-10' B&B 21.00 |
| | Prunus glandulosa DS 6' FLOWERING ALMOND Rose pink blossoms in May. Very showy. Also a white variety in same sizes and prices. |
| 2 | 2-3' high\$ 3.00 |
| 24 | 3-4' 3.60 |
| 3 | Container grown |
| | Prunus maritima DS 8' BEACH PLUM |
| | White blossoms in early Spring and edible purple fruit in Sept. that make wonderful jelly and jam. Plant tolerates seashore exposure. |
| 13 | 18-24" spread B&B \$ 1.95 |
| 3 | 2-3' B&B 4.50 |
| 38 | 3-4' B&B 5.70 |
| 6 | 4-5' B&B 9.00 |
| | Prunus serrulata DT 20' |
| | ORIENTAL FLOWERING CHERRY |
| | Small upright trees that bear very showy blossoms in early Spring. The tree that makes such a display |
| | in Washington. Kwanzan—double rose pink |
| | Mt. Fuji—double white |
| | Naden-double shell pink |
| | Shirofugen-double white, green center |
| | Yoshino—single pink-white |
| 4 | Container grown (Kwanzan) \$ 6.00 |
| | No 5-6' available 1956 |
| 14 | 6-8' heavy |
| 18 | |
| 24 | - |
| 24 | 10-12' heavy B&B 36.00 |
| | Prunus subhirtella pendula DT 15' |
| | WEEPING ORIENTAL CHERRY |
| | Single pink blossoms in early Spring. Looks like a |
| | waterfall of blossoms. |
| 8 | Container grown\$ 12.00 |
| 9 | 5-6' high, heavy, .3 years old .B&B 13.50 |
| 12 | 6-7' high, heavy, 4 years oldB&B 18.00 |



Block

No. Prunus tomentosa DS 5' White blossoms in May. Available Fall, 1956

NANKING CHERRY

| | Prunus triloba DS 10' FLOWERING PLUM | |
|----------|--------------------------------------------------------|---|
| | Double rose pink blossoms in May. | |
| 13 | 2-3' high\$ 1.95 | |
| 18 | 3-4' 2.70 | |
| | | |
| | Pseudotsuga douglasi NLE 70' DOUGLAS FIR | |
| | The tree that is used for lumber in our Pacific North- | |
| | west. Soft, medium green to gray needles. A | |
| | handsome specimen as it matures. | |
| 46 | 2-3' high\$ 6.90 | |
| 6 | 3-4' B&B 9.00 | |
| 8 | 4-5' 12.00 | |
| 11 | 5-6' B&B 16.50 | |
| 18 | 6-7' | |
| 2 | 7-8' | |
| 24 | 8-10' 36.00 | |
| | Pyracantha coccinea Ialandi BLE 12' | |
| | LALAND FIRETHORN | |
| | Its outstanding feature is the large clusters of | |
| | bright orange berries in Fall. Lends itself well to | |
| | espaliering. | |
| | Container grown (1 gal.) \$ 2.25 | |
| 15 | Container grown (1 gal.) 7.35 | |
| 49 63 | Container grown (5 gal.) 9.45 | |
| 03 | Container grown (5 gdi.) | |
| | Pyracantha coccinea lalandi Loboy BLE 3' | |
| | LOBOY LALAND FIRETHORN | |
| | Similar to above, but low, spreading habit of | |
| | growth. Wonderful for foundation plantings. | |
| 16 | Container grown (1 gal.)\$ 2.40 | |
| | Pyracantha coccinea Wyatti BLE 12' | |
| | WYATT FIRETHORN | |
| | Similar in habit of growth to Laland, but red fruit. | |
| 15 | Container grown (1 gal.)\$ 2.25 | 5 |
| 41 | Container grown (2 gal.) 6.15 | |
| 63 | Container grown (5 gal.) 9.45 | |
| 03 | Comunier grown (5 gail) | |
| | Quercus coccinea DT 75' SCARLET OAK | |
| | Symmetrical tree with brilliant Fall foliage. | |
| 745 | 8-10' high 1-114" caliper \$ 9.30 |) |
| 9 | 8-10' 1¼-1½'' 11.25 | 5 |
| 108 | 8-10' |) |
| 132 | 8-10' | |
| 192 | 8-10' | 0 |
| 24 | 10-12' | 0 |
| 535 | 12-14' 3-3½'' B&B 63.50 | |
| 76 | 14-16' | |
| 115 | 16-18' | 0 |
| | | |



Block No.

Quercus palustris DT 75'

PIN OAK

More pyramidal habit of growth with low, sweeping branches. Same sizes and prices.

Quercus rubra DT 75'

RED OAK

Fastest grower of the three oaks we grow. More broad headed than the others. Same sizes and prices.

Rhododendron carolinianum BLE 6'

CAROLINA RHODODENDRON

Dark green leaves, brownish beneath. Densely clustered flowers, pale to medium pink, in May.

| 44 | 15-18" high, | heavy | .B&B \$ | 6.60 |
|----|---------------|-------|---------|-------|
| 6 | 18-24" heavy | | . B&B | 9.00 |
| 7 | 2-21/2' heavy | | .B&B | 10.50 |
| 9 | 21/2-3' heavy | | .B&B | 13.50 |
| 11 | 3-4' heavy | | . B&B | 16.50 |
| 13 | 4-5' heavy . | | . B&B | 19.50 |

Rhododendron catawbiense BLE 8'

CATAWBA RHODODENDRON

Parent plant of most of the hybrid varieties. Blossoms are various shades of rosy-purple or lilac in June.

| 44 | 15-18" high, heavy | 6.60 |
|----|--------------------|-------|
| 6 | 18-24" heavyB&B | 9.00 |
| 7 | 2-2½' heavyB&B | 10.50 |
| 9 | 2½-3' heavy | 13.50 |
| 11 | 3-4' heavyB&B | 16.50 |

Rhododendron hybrid BLE 12'

HYBRID RHODODENDRON

Blossom colors range from pure white to deep purple and red, with various shades of pink and lavender, depending upon the named variety.

| 52 | 15-18" | high | | B&B\$ | 6.50 |
|----|---------|------|------|-------|-------|
| | | | | B&B | |
| 96 | 2-21/2' | | | B&B | 12.00 |
| 12 | 21/2-31 | | | B&B | 15.00 |

Rhododendron maximum BLE 15'

ROSEBAY RHODODENDRON

Large, glossy foliage. White to blush pink blossoms in June. More valuable for massing than for flowering effect.

| | 3 | | |
|-----|---------------------|------|-------|
| 48 | 18-24" high, heavyB | &B\$ | 7.20 |
| 56 | 2-3' heavy | | 8.40 |
| 64 | 2-3' extra heavyB | | 9.60 |
| 7 | 3-4' heavyB | | 10.50 |
| 8 | 3-4' extra heavyB | | 12.00 |
| 11 | 4-5' heavyB | &B | 16.50 |
| 13 | 4-5' extra heavyB | | 19.50 |
| 165 | 5-6' heavyB | | 24.75 |
| 19 | 5-6' extra heavyB | | 28.50 |
| | | | |



| Block No. | | |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| 140. | Rhodotypos kerrioides DS 4' White blossoms from May to Fall, black fruit, b | |
| 1 15 | stems. 18-24" high\$ 2-3' | 1.50 2.25 |
| | Rhus cotinus (see Cotinus coggygyria) | |
| | Robinia Moraine (see Gleditsia Moraine) Rosa hugonis DS 6' An old-fashioned rose with arching spiny stems lovely waxy yellow blossoms in May. | |
| 16 2 24 28 | 2-3' high\$ 3-4' 4-5' Container grown | 2.40 3.00 3.60 4.20 |
| | Rosa rugosa DS 6' Excellent for seashore exposures. Stout, up shrub with spiny stems, wrinkled foliage, and single white, red and pink blossoms in Sp. Crimson fruit. | oright large oring. |
| 25 16 3 | Container grown\$ 2-3' high, heavy4-5' (Thos. Lipton only) | 3.75 2.40 4.50 |
| | ROSES | |
| | CLIMBER AND RAMBLER VARIETIES American Pillar—large single pink Paul's Scarlet—vivid scarlet Talisman—blend of yellow, orange and red | 2.70 |
| 18 22 3 | Container grown \$ Large, field grown Extra large, field grown | 3.30 4.50 |
| 15 | SOME OF THE NEWER CLIMBERS Container grown Blaze—Non-patented. Vivid scarlet in | |
| 15 | June and in Fall \$ Crimson Glory—Plant Pat. No. 736 | 2.25 |
| 16 | Large velvet crimson. New Dawn—Non-patented. Everblooming | 2.25 |
| 17 | double apple blossom pink Peace—Plant Pat. No. 932. Creamy yellow. | 2.40 |
| 15 | Summer Snow—Plant Pat. No. 400. | 2.25 |
| | White with yellow center | 2.25 |
| | Container grown | |
| 25 | Fashion—Plant Pat. No. 789. Orange-salmon | 3.75 |
| 15 | Improved Lafayette—Non-patented. | 2.25 |
| 25 | Bright red. Lilibet—Plant Pat. No. 1209. Pink. | 3.75 |
| 25 | Ma Perkins—Plant Pat. No. 1143. | 3.75 |
| 2 | Multi colored. Summer Snow—Plant Pat. No. 416. White | 3.00 |
| 25 | Vogue—Plant Pat. No. 926. Cherry coral. | 3.75 |



| Block No. | |
|--------------|-----------------------------------------------------------------------------------------------------------------------------|
| | Velvety catkins are one of the first signs of Spring. Every garden should have at least one for cutting. |
| 12 | 2-3' high |
| 15 | 3-4' 2.25 |
| 3 | 4-5' 4.50 |
| 32 | Container grown 4.80 5-6' 6.00 |
| 6 | 5-6' 6.00 6-8' 9.00 |
| | Salix pentandra DT 60' LAUREL WILLOW Large glossy leaves similar to those of Mt. Laurel. Available Fall, 1956 |
| | Available Tall, 1750 |
| | Salix purpurea nana DS 5' |
| | DWARF PURPLE OSIER WILLOW |
| | Native at the Arctic Circle. Very hardy. Low, |
| | spreading habit of growth. Feathery gray-blue foliage. Suitable for edging. Lends itself well to tight shearing as a hedge. |
| 9 | 18-24" spread\$ 1.35 |
| 13 | 2-2½' 1.95 |
| 18 | 2½-3′ |
| 24 32 | 3.60 3½-4′ |
| 38 | 4.85 4-5' 5.70 |
| 6 | 5-6' 9.00 |
| | Salix Niobe DT 40' |
| | NIOBE GOLDEN WEEPING WILLOW |
| | Salix vitellina pendula DT 40' |
| | GOLDEN WEEPING WILLOW |
| | The two best varieties of golden weeping willow |
| | for L. I. Fast growing and very hardy. Pendulous yellow branchlets. |
| 38 | 5-6' high\$ 5.70 |
| 58 | 6-8' 8.70 |
| 11 16 | 8-10' B&B 16.50 10-12' B&B 24.00 |
| | |
| | Sambucus canadensis DS 10' AMERICAN ELDER Upright, spreading shrub with large flat white |
| | blossoms in June and July, followed by edible black fruit in Fall. |

| 25 | Container | grown | \$ | 3.75 |
|----|-----------|-------|----|------|
| | | | | |

3-4' 4-5'

needed for berries.

2-3' high\$ 1.90

Skimmia japonica BLE 3' JAPANESE SKIMMIA
A slow growing plant with large glossy green foliage and bright scarlet berries. Male and female

13

19

26

2.85

3.90



| Block | |
|----------|---------------------------------------------------------------------------------------------|
| No. | Sorbus americana DT 30' |
| | AMERICAN MOUNTAIN ASH |
| | Popular street tree in Canada. White flowers in |
| | May and broad clusters of red berries in late |
| | Summer. |
| 5 | 5-6' high |
| 6 | 6-8' |
| | Sorbus aucuparia DT 50' |
| | EUROPEAN MOUNTAIN ASH |
| | Similar to above, but orange berries. |
| 36 | 6-8' high \$ 5.40 8-10' |
| 62 8 | 8-10' 134-2" 12.00 |
| 11 | 10-12' 2-2½'' 16.50 |
| | |
| | Spiraea arguia 23 0 |
| | Best early flowering spirea. Minute white blossoms |
| 22 | in May. 4-5' high\$ 3.30 |
| 3 | 5-6' 4.50 |
| | |
| | Spiraea bumalda Anthony Waterer DS 3' A. W. SPIREA |
| | Dwarf shrub with rosy-crimson blossoms in flat |
| | heads throughout the Summer and Fall. |
| 8 | 12-15" high\$ 1.20 |
| 1 | 15-18" 1.50 |
| 12 | 18-24" 1.80 |
| 14 | 2-2½' 2.10 |
| 16 | 2½-3′ 2.40 3.4′ 3.75 |
| 25 | |
| | Spiraea bumalda froebeli DS 3' FROEBEL SPIREA |
| | Similar to above. Deep rose blossoms in June. |
| | Broad, spreading habit of growth. Attractive red |
| 24 | foliage in Fall. 3-4' spread |
| 36 42 | 4-5' 6.30 |
| | |
| | Spiraea thunbergi DS 5' THUNBERG SPIREA Feathery foliage and abundant white flowers in May. |
| 15 | 2-3' high\$ 2.25 |
| 22 | 3-4' |
| 4 | 4-5' heavy |
| | Spiraea vanhouttei DS 10' VANHOUTTE SPIREA |
| | The popular so-called Bridal Wreath. Fine for |
| | hedges. Arching branches with a "waterfall" of |
| | showy white blossoms in May. |
| 1 | 18-24" high |
| 14 | 2-0 |
| 19 26 | 3-4' 2.85 4-5' 3.90 |
| 20 | Symphoricarpos racemosus DS 6' SNOWBERRY |
| . • | Slender, arching shrub with white, waxy berries in |
| | Fall. |
| 1 | 2-3' high |
| 13 | 3-4' 1.95 |
| | |



| Block No. | |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Symphoricarpos vulgaris DS 6' CORALBERRY Arching branches with small dark red berries in Fall. |
| 6 | 18-24" high \$.90 2-3" 1.50 |
| | Symplocos paniculata DS 15' ASIATIC SWEETLEAF |
| | Upright spreading shrub with fragrant white flowers |
| | in May and June, followed by sapphire colored berries in early Fall. |
| 4 | 18-24" high B&B\$ 6.00 |
| 6 8 | 2-3' B&B 9.00 3-4' B&B 12.00 |
| | Syringa hybrid DS 10' FRENCH HYBRID LILAC |
| | Improved varieties in a wide color range of single, |
| | semi-double, and double blossoms. Very fragrant. Blooms when young. |
| 19 28 | 18-24" high\$ 2.85 |
| 44 | 2-3' 4.20 3-4' 6.60 |
| 6 | 4-5' 9.00 |
| | Syringa persica DS 10' PERSIAN LILAC |
| | Very fragrant lavender-blue blossoms in May. |
| 14 | 2-3'\$ 2.10 |
| 18 22 | 3-4' 2.70 4-5' 3.30 |
| | Syringa villosa DS 8' LATE LILAC |
| 2 | Upright shrub with fragrant pale pinkish purple blossoms in late June. |
| 3 | 3-4' high |
| | Syringa vulgaris DS 15' PURPLE LILAC |
| | Syringa vulgaris alba DS 15' WHITE LILAC |
| | Rich, dark green foliage and fragrant lavender or white blossoms in May. The old-fashioned lilac that grandmother grew. Prices for both varieties. |
| 15 | 18-24" high\$ 2.25 |
| 24 | 2-3' 3.60 |
| 3 4 | 3-4' 4.50 3-4' heavy 6.00 |
| 6 | 3-4' extra heavy 9.00 |
| | Tamarix (in variety) DS 15' TAMARIX |
| | Pink blossoms in Spring and Summer. Good sea- |
| | shore plant. Cut back to ground every Spring and it will grow to 5'. |
| 12 15 | Small \$ 1.80 Medium 2.25 |
| 19 | Medium 2.25 Large 2.85 |
| 26 | Extra Large 3.90 |



Block No.

Taxus (in variety) NLE

Probably the most adaptable of the evergreen conifer families. Very hardy. Spreading, upright and intermediate habits of growth. Rich, dark green foliage.

| Taxus baccata fastigiata | NLE 10' | IRISH YEW |
|--------------------------|--------------|----------------|
| Narrowest of all uprigh | t yews. Very | slow growing, |
| dense, and columnar. | A formal pla | ant for formal |
| effects. | | |

| 6 | 15-18" | high\$ | 9.00 |
|---|--------|--------|------|
| | | | |
| | | | |
| | | | |
| | | B&B | |
| | | B&B | |
| | | B&B | |

Taxus baccata repandens NLE 2'

SPREADING ENGLISH YEW

The most prostrate of all the yews we grow. Graceful, mounded form with sweeping outer branches that hug the ground.

| 42 | 15-18" | spread | 6.30 |
|----|---------|--------|-------|
| 6 | 18-24" | B&B | 9.00 |
| 8 | 2-21/2' | | 12.00 |

Taxus cuspidata NLE 12'

SPREADING JAPANESE YEW

Grows broader than tall, developing into a dense form.

| 35 | 15-18" | spread\$ | 5.25 |
|----|---------|----------|-------|
| 48 | | | |
| 58 | 2-21/2' | | 8.70 |
| 7 | 21/2-31 | | 10.50 |
| 9 | | | |
| 11 | | | |
| 15 | | | |
| 29 | | | |
| 43 | | B&B | |

Taxus cuspidata capitata NLE 25'

UPRIGHT JAPANESE YEW

Erect, symmetrical, pyramidal form. Makes a beautiful hedge or individual specimen.

| 36 | 18-24" high narrow type B&B \$ | 5.40 |
|----|--------------------------------|-------|
| 44 | 18-24"broad type B&B | 6.60 |
| 4 | 2-21/2'narrow type B&B | 6.00 |
| 6 | 2-21/2' broad type B&B | 9.00 |
| 6 | 2½-3'narrow type B&B | 9.00 |
| 7 | 2½-3'broad type B&B | 10.50 |
| 8 | 3-3½' | 12.00 |
| 9 | 3-31/2'broad type B&B | 13.50 |
| 1 | 31/2-4' narrow type B&B | 15.00 |
| 12 | 3½-4'broad type B&B | 18.00 |
| 13 | 4-5' narrow type B&B | 19.50 |

(continued next page)



| n I I | | |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Block | | |
| No. | | |
| 15 | 4-5' broad type B&B 22.5 | 0 |
| 196 | 5-6' narrow type B&B 29.4 | |
| 22 | 5-6' broad type B&B 33.0 | |
| 25 | 6-7' narrow type B&B 37.5 | |
| 28 | 6-7' broad type B&B 42.0 | |
| | 42.0 | ,0 |
| | | |
| | Taxus cuspidata densa NLE 6' | |
| | DENSE SPREADING JAPANESE YEV | N |
| | Similar to T. cusp., but more compact and slowe | er |
| | growing. | |
| 5 | 15-18" spread | 0 |
| 6 | 18-24" 9.0 | 00 |
| 8 | 2-2½' B&B. 12.0 | 00 |
| 1 | 2½-3′B&B . 15.0 | 00 |
| | | |
| | Taxus cuspidata intermedia NLE 12' HYBRID YEV | M |
| | • | |
| | More upright and vase-shaped than T. cusp., an somewhat looser growing. | d |
| _ | | |
| 5 | 18-24" spread | |
| 64 | 2-2½' B&B 9.6 | |
| 8 | 2½-3′B&B 12.0 | |
| 1 | 3-3½' B&B 15.0 | |
| 125 | 3½-4′B&B 18.7 | |
| 165 | 4-5' B&B 24.7 | |
| 22 | 5-6'B&B 33.0 | 0 |
| | | |
| | Taxus cuspidata nana NLE 6' | |
| | DWARF SPREADING JAPANESE YEV | N |
| | More dwarf than T. cusp. Unusually dark gree | |
| | foliage. | n |
| 4 | 10.180 | |
| 4 5 | 12-15" spread | _ |
| 3 | 15 10// | |
| 4 | 15-18" B&B 7.5 | 0 |
| 6 | 18-24" B&B 9.0 | 00 |
| 8 | 18-24" B&B 9.0 2-2½' B&B 12.0 | 00 |
| 8 11 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 | 00000 |
| 8 11 13 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 | 000000000000000000000000000000000000000 |
| 8 11 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 | 000000000000000000000000000000000000000 |
| 8 11 13 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 | 000000000000000000000000000000000000000 |
| 8 11 13 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 | 000000000000000000000000000000000000000 |
| 8 11 13 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 | 60 00 00 60 60 00 |
| 8 11 13 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEV | 00 00 00 00 00 00 00 |
| 8 11 13 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEV Retains the rich color and slow growth of Dwar | 00 00 00 00 00 00 00 00 00 |
| 8 11 13 | 18-24" 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEW Retains the rich color and slow growth of Dwar Jap. Yew, but more the habit of growth of Har | 00 00 00 00 00 00 00 00 00 |
| 8 11 13 16 | 18-24" 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEV Retains the rich color and slow growth of Dwar Jap. Yew, but more the habit of growth of Har field Yew. | 000 000 000 000 000 000 000 000 000 00 |
| 8 11 13 16 | 18-24" 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEV Retains the rich color and slow growth of Dwar Jap. Yew, but more the habit of growth of Har field Yew. 3½-4' high, heavy B&B \$ 30.0 | 000 000 000 000 000 000 000 000 000 00 |
| 8 11 13 16 | 18-24" 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEV Retains the rich color and slow growth of Dwar Jap. Yew, but more the habit of growth of Harfield Yew. 3½-4' high, heavy B&B \$ 30.0 4-5' heavy B&B 36.0 | 00000000000000000000000000000000000000 |
| 8 11 13 16 | 18-24" 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEV Retains the rich color and slow growth of Dwar Jap. Yew, but more the habit of growth of Har field Yew. 3½-4' high, heavy B&B \$ 30.0 | 00000000000000000000000000000000000000 |
| 8 11 13 16 | 18-24" 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEV Retains the rich color and slow growth of Dwar Jap. Yew, but more the habit of growth of Harfield Yew. 3½-4' high, heavy B&B \$ 30.0 4-5' heavy B&B 36.0 | 00000000000000000000000000000000000000 |
| 8 11 13 16 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEV Retains the rich color and slow growth of Dwar Jap. Yew, but more the habit of growth of Harfield Yew. 3½-4' high, heavy B&B \$ 30.0 4-5' heavy B&B 36.0 4-5' extra heavy B&B 45.0 | 00000000000000000000000000000000000000 |
| 8 11 13 16 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEV Retains the rich color and slow growth of Dward Jap. Yew, but more the habit of growth of Harrield Yew. 3½-4' high, heavy B&B \$ 30.0 4-5' heavy B&B \$ 36.0 4-5' extra heavy B&B 45.0 Taxus cuspidata thayeri NLE 6' THAYER'S YEV | 00000000000000000000000000000000000000 |
| 8 11 13 16 | 18-24" 2-2½' B&B 12.0 2½-3' B&B 19.5 3-3½' B&B 19.5 3½-4' Retains the rich color and slow growth of Dward Jap. Yew, but more the habit of growth of Harfield Yew. 3½-4' high, heavy B&B 36.0 4-5' heavy B&B 36.0 Taxus cuspidata thayeri NLE 6' THAYER'S YEW Similar to T. cusp., but more dense and slower grow | 00000000000000000000000000000000000000 |
| 8 11 13 16 | 18-24" 2-2½' B&B 12.0 2½-3' B&B 19.5 3-3½' B&B 19.5 3½-4' Retains the rich color and slow growth of Dward Jap. Yew, but more the habit of growth of Harfield Yew. 3½-4' high, heavy 4-5' heavy B&B 36.0 Taxus cuspidata thayeri NLE 6' THAYER'S YEW Similar to T. cusp., but more dense and slower growing. | 00000000000000000000000000000000000000 |
| 8 11 13 16 2 24 3 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEW Retains the rich color and slow growth of Dwar Jap. Yew, but more the habit of growth of Harfield Yew. 3½-4' high, heavy B&B \$30.0 4-5' heavy B&B 36.0 4-5' extra heavy B&B 45.0 Taxus cuspidata thayeri NLE 6' THAYER'S YEW Similar to T. cusp., but more dense and slower growing. 18-24" spread B&B \$7.5 | 00000000000000000000000000000000000000 |
| 8 11 13 16 2 24 3 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEV Retains the rich color and slow growth of Dward Jap. Yew, but more the habit of growth of Harfield Yew. 3½-4' high, heavy B&B \$30.0 4-5' heavy B&B 36.0 4-5' extra heavy B&B 45.0 Taxus cuspidata thayeri NLE 6' THAYER'S YEV Similar to T. cusp., but more dense and slower growing. 18-24" spread B&B 7.5 2-2½' B&B 9.0 | 00000000 N rft- 0000 N /- 000 |
| 8 11 13 16 2 24 3 | 18-24" B&B 9.0 2-2½' B&B 12.0 2½-3' B&B 16.5 3-3½' B&B 19.5 3½-4' B&B 24.0 Taxus cuspidata nana pyramidalis hilli NLE 12' HILL'S YEW Retains the rich color and slow growth of Dwar Jap. Yew, but more the habit of growth of Harfield Yew. 3½-4' high, heavy B&B \$30.0 4-5' heavy B&B 36.0 4-5' extra heavy B&B 45.0 Taxus cuspidata thayeri NLE 6' THAYER'S YEW Similar to T. cusp., but more dense and slower growing. 18-24" spread B&B \$7.5 | 00000000 N rft- 0000 N /- 000 |



| Block | Taxus cuspidata vermeuleni NLE 10' |
|-------|-----------------------------------------------------|
| No. | VERMEULEN YEW |
| | Very dense, upright growth, broad at the base, |
| | rounding to narrower at top. |
| 5 | 18-24" high B&B \$ 7.50 |
| 7 | 2-2½' B&B 10.50 |
| 84 | 2½-3′ |
| | Taxus media browni NLE 5' BROWN'S YEW |
| | Somewhat more upright than T. cusp. Very dense |
| | and compact, growing almost ball shaped if sheared |
| | correctly. |
| 46 | 15-18" spread B&B\$ 6.90 |
| 54 | 18-24" B&B 8.10 |
| 66 | 2-2½' B&B 9.90 |
| | Taxus media hatfieldi NLE 20' HATFIELD YEW |
| | Resembles Hick's Yew somewhat, but more broadly |
| | spreading at top. |
| 5 | 18-24" high \$ 7.50 |
| 7 | 2-2½' B&B 10.50 |
| 84 | 2½-3′ B&B 12.60 |
| 11 | 3-3½' B&B 16.50 |
| 135 | 3½-4′ |
| 16 | 4-5' B&B 24.00 |
| 22 | 5-6' |
| 3 | 5-6' extra heavy B&B 45.00 |
| | Taxus media hicksi NLE 20' HICK'S YEW |
| | Columnar, like Irish Yew, but not so narrow. One |
| | of the best varieties for hedges. |
| 24 | 12-15" high B&B\$ 3.60 |
| 3 | 15-18" |
| 44 | 18-24" B&B 6.60 |
| 7 | 2-2½' B&B 10.50 |
| 84 | 2½-3′ B&B 12.60 |
| 11 | 3-3½' |
| 13 | 3½-4′ B&B 19.50 |
| 15 | 4-5' B&B 22.50 |
| 18 | 5-6' B&B 27.00 |
| | Taxus media wardi NLE 6' WARD'S YEW |
| | Similar in habit of growth to T. cusp. nana. Dense, |
| | very dark green foliage, and berries heavily. |
| 24 | 5-6' spread B&B\$ 36.00 |
| | Teucrium chamaedrys DS 1' |
| | CHAMAEDRYS GERMANDER |
| | Low, dense, edging plant with red-purple or bright |
| | rose blossoms in Summer. |
| 9 | Container grown\$ 1.35 |
| | |

Our business is BIG enough to serve you properly, but small enough to know you personally.



| Block | |
|----------|--------------------------------------------------------------------------------------------------|
| No. | Thuya (in variety) NLE ARBORVITAE |
| | Most of the arborvitaes grow quite rapidly. Vary- |
| | ing shades of green foliage. Adaptable to shear- |
| | ing, they make good hedge plants. Despite some |
| | prejudice against the use of arborvitaes, some varieties are most desirable in the right places. |
| | Thuya occidentalis NLE 40' AMERICAN ARBORVITAE |
| | Probably the most popular arborvitae. Bright green foliage. |
| 16 25 | 18-24" high B&B\$ 2.40 |
| 35 | 2-3' B&B 3.75 3-4' B&B 5.25 |
| 4 | 4-5' B&B 6.00 |
| 6 | 5-6' B&B 9.00 |
| 8 | 6-7' B&B 12.00 |
| | Thuya occidentalis douglasi pyramidalis NLE 20' |
| | DOUGLAS ARBORVITAE |
| | Spire-like growth. Dark green foliage. |
| 12 | 7-8' high B&B\$ 18.00 |
| | Thuya occidentalis lutea NLE 40' GEORGE PEABODY ARBORVITAE |
| | Similar to T. occ., but new growth is tipped a golden |
| | yellow. |
| 8 | 5-6' high, heavy |
| 11 | 6-7' heavy |
| | Thuya occidentalis nigra NLE 40' DARK AMERICAN ARBORVITAE |
| | A very definite improvement over T. occ. Darker |
| | green foliage and a little slower growing. |
| 2 | 18-24" high B&B\$ 3.00 |
| 3 | 2-3' |
| 4 | 3-4' B&B 6.00 |
| 5 | 4-5' |
| 75 | 5-6' B&B 11.25 |
| 9 12 | 6-7' |
| 1.6 | 10.00 |
| | Thuya occidentalis pyramidalis NLE 25' AMERICAN PYRAMIDAL ARBORVITAE |
| | Slow growing and dense. Very dark green foliage. |
| 38 | 3-4' high B&B\$ 5.70 |
| 5 | 4-5' |
| 6 7 | 5-6' B&B 9.00 6-7' B&B 11.25 |
| , | |
| | Thuya occidentalis rosenthali NLE 10' ROSENTHAL ARBORVITAE |
| | A very definite improvement over the regular Pyr. |
| | Arb., in that it is more compact, darker green and slower growing. |
| 44 | 2½-3′ high |
| 5 | 3-4' |
| 66 | 4-5' |
| 9 | 5-6' |



| Block | |
|-------|--|
| No. | |

18 24

> 16 22

> 26

| Thuya occidentalis woodwardi | NLE 3' |
|-------------------------------|-----------------------|
| WOODWAR | D GLOBE ARBORVITAE |
| | |
| Without any shearing this one | grows into a compact |
| ballshaped plant with bright | green foliage. |
| 12-15" spread | B&B\$ 2.70 |
| 15-18" | B&B 3.60 |
| 13-10 | |
| Thuya orientalis aurea nana l | NLE 5' |
| BERCKMAN'S GOLDEN | |
| | |
| Compact, very slow growing | , with golden yellow, |
| flat foliage. | |
| 12-15" high | B&B\$ 2.40 |
| 15-18" | В&В 3.30 |
| 18-24" | |
| 18-Z4 | , , , , DQD . , |

Tilia cordata DT 70'

LITTLELEAF EUROPEAN LINDEN

One of our best shade trees. Dense, symmetrical head with medium sized heart shaped leaves that cast dense shade. Available Fall, 1956.

18-24"B&B......

Tilia tomentosa DT 40'

SILVER LINDEN

Leaves The best linden for seashore exposures. large, green above, silvery beneath. Available Fall, 1956.

| | Tsuga canadensis NLE 75' CANADA HEMLOCK |
|----|---------------------------------------------------------------------------------------------------------------|
| | Probably the most beloved of all coniferous ever- greens. Dense, medium green foliage. Fine for hedges. |
| 36 | 18-24" high B&B\$ 5.40 |
| 48 | 2-3' B&B 7.20 |
| 66 | 3-4' |
| 9 | 4-5' |
| 14 | 5-6' |
| | Tsuga canadensis pendula sargenti NLE 12' SARGENT'S WEEPING HEMLOCK |
| | Dwarf, weeping type, forming a dense, broad plant. |
| 11 | 18-24" spread B&B\$ 16.50 |
| 12 | 2-2½' |
| | Tsuga caroliniana NLE 50' CAROLINA HEMLOCK |
| | Darker green foliage, slower growing, and more hardy than Canada Hemlock. |
| 6 | 2-3' high |
| 8 | 3-4' B&B 12.00 |
| 1 | 4-5' |
| 16 | 5-6' |
| | |



В

| Block No. | |
|--------------|----------------------------------------------------------------------------------------------------------|
| 140. | Ulmus americana DT 80' AMERICAN ELM |
| | Lofty and spreading with arching branches. One |
| | of our most beautiful shade trees, always associated |
| | with the New England landscape. |
| 9 | 10-12' high 1¾-2" caliper \$ 13.50 |
| 11 | 10-12' |
| 14 | 12-14' |
| | Ulmus americana vaseyi DT 80' |
| | VASE SHAPED AMERICAN ELM |
| 18 | 10-12' high 11/4-11/2" caliper\$ 12.00 |
| 9 | 12-14' |
| 11 | $12-14'$. $1\frac{1}{2}-1\frac{3}{4}''$. 13.50 $12-14'$. $1\frac{3}{4}-2''$. 16.50 |
| | Illmus mumila DT 75/ |
| | Ulmus pumila DT 75' |
| | DWARF ASIATIC OR SIBERIAN ELM |
| | Very rapid grower with a dense, oval head and |
| | small foliage casting a light shade. Tolerant of sea- shore conditions. Not the Chinese Elm, which is |
| | Ulmus parviflora. |
| 22 | 6-8' high\$ 3.30 |
| 4 | 8-10' 6.00 |
| 52 | 10-12' 7.80 |
| 64 | 10-12' 1¼-1½" 9.60 |
| 8 | 10-12' |
| 1 | 10-12' |
| | Vaccinium corymbosum DS 8' |
| | HIGHBUSH BLUEBERRY |
| | Brilliant Fall foliage and twigs. Blue-black fruit of |
| | excellent flavor. |
| 24 | 2-3' high |
| 3 | 3-4' |
| 4 | 4-5' 6.00 4-5' heavy 8&B 13.50 |
| 11 | 4-5' heavy |
| 13 | 6-7' heavy |
| | |
| | Viburnum (in variety) DS VIBURNUM |
| | One of our best shrub families because of the varied |
| | types of growth, blossoms and fruit. |
| | Viburnum americanum DS 12' |
| | AMERICAN CRANBERRYBUSH |
| | Open, spreading habit of growth. White flowers in |
| | June, followed by scarlet fruit which hangs on all |
| | Winter. |
| 15 | 2-3' high\$ 2.25 |
| | Viburnum burkwoodi DS 10' |
| | BURKWOOD VIBURNUM |
| | |
| | Semi-evergreen foliage. Somewhat like V. carlesi, but faster growing. Pink-white blossoms in May. |
| 2 | Container grown\$ 3.00 |
| 4 | 2-2½' high |
| 48 | 2½-3′ |
| 56 | 3-4' B&B 8.40 |
| | |



| Block | | |
|-------|---------------------------------------------------------------------------------------------------------|----------------|
| No. | | |
| | Viburnum carlcephalum DS 6' | |
| | NEW FRAGRANT VIBURE | MUM |
| | Plant Patent No. 776. A cross between V. ca | rlesi |
| | and V. macrocephalum. Profuse flowering | with |
| | blossoms as large as 6" across, pink-white, frag in May. | rant, |
| 53 | Container grown\$ | 7.95 |
| | Viburnum carlesi DS 4' FRAGRANT VIBURI | NUM |
| | Very fragrant, pink-white blossoms in May and a ful red Fall foliage. | olor- |
| 31 | 15-18" high\$ | 4.65 |
| 42 | 18-24"B&B | 6.30 |
| 53 | 2-2½'B&B | 7.95 |
| 63 | 2½-3′B&B | 9.60 |
| | Viburnum cassinoides DS 12' WITHE | ROD |
| | Creamy-white blossoms in June and dark blue in Fall. | fruit |
| 16 | 2-3' high | 2.40 |
| 2 | 3-4' | 3.00 |
| 26 | 4-5' | 3.90 |
| | Viburnum dentatum DS 12' ARROWW | OOD |
| | A native plant with white blossoms in June and fruit in Fall. | |
| 12 | 18-24" high\$ | 1.80 |
| 15 | 2-3' | 2.25 |
| 22 | 3-4' | 3.30 |
| 38 | 4-5' | 5.70 |
| 6 | 5-6' heavy | 9.00 |
| 8 | | 12.00 |
| | Viburnum dilitatum DS 10' LINDEN VIBUR Showy white blossoms in May, scarlet fru clusters in Fall. | RNUM pit in |
| 16 | 10-24 high | 3.60 |
| 24 | 2-3' | 4.50 |
| 3 | 3-4' | |
| | Viburnum lantana DS 15' WAYFARING | TREE |
| | Upright treelike shrub with white flowers in followed by red berries in July, ripening to in Fall. | black |
| 13 | 2-3' high | 1.95 |
| 15 | 3-4' | 2.25 |
| 2 | 4-5' | 3.00 |
| _ | | |
| | Viburnum lentago DS 15' NANNY | BEKKT |
| | Similar to V. cassinoides, but more upright. | 2.25 |
| 15 | 2-3' high | 3.30 |
| 2? | 3-4' | 3.30 |
| | Viburnum opulus DS 12' | |
| | EUROPEAN CRANBERRY | BUSH |
| | White blossoms in June and red fruit in Fall. | |
| 12 | 18-24" high\$ | 1.80 |
| 18 | 2-3' | 2.70 |
| 22 | 3-4' | 3.30 |
| 3 | 4-5' | 4.50 |
| 4 | 5-6' | 6.00 |
| | | |



| Block | |
|-------|--|
| No. | |

| | Viburnum opulus sterile DS 10' SNOWBALL Large round heads of white flowers in May. |
|----------|------------------------------------------------------------------------------------------------|
| 12 | 18-24" high\$ 1.80 |
| 18 22 | 2-3' |
| 22 | 3-4' 3.30 |
| | Viburnum prunifolium DS 15' BLACKHAW |
| | Spreading, treelike shrub with white flowers in May |
| | and black fruit in Fall. |
| 15 | 18-24" high\$ 2.25 |
| 22 | 2-3' 3.30 |
| 3 | 3-4' |
| | Viburnum sieboldi DS 10' SIEBOLD VIBURNUM |
| | White blossoms in June, black fruit in Fall. |
| 28 | 2-3' high\$ 4.20 |
| 36 | 3-4' 5.40 |
| 5 | 4-5' 7.50 |
| 7 | 5-6' 10.50 |
| | Viburnum tomentosum DS 8' DOUBLEFILE VIBURNUM |
| | White blossoms in June. |
| 18 | 18-24" spread\$ 2.70 |
| 22 | 2-3' 3.30 |
| 26 | 3-4' 3.90 |
| 32 44 | 4-5' 4.80 5-6' 6.60 |
| ~~ | 5-6' 6.60 |
| | Viburnum tomentosum plicatum DS 8' |
| | JAPANESE SNOWBALL |
| | White blossoms in June. |
| 22 | 2-3' high\$ 3.30 |
| 26 3 | 3-4' 3.90 4-5' 4.50 |
| 3 | 4-5' 4.50 |
| | Viburnum tomentosum plicatum grandiflorum DS 8' IMPROVED JAPANESE SNOWBALL |
| | Available Fall, 1956. |
| | |
| | |
| | Viburnum wrighti DS 8' WRIGHT VIBURNUM |
| | White flowers in May, scarlet clustered fruit in Fall. Similar to V. dilitatum. |
| 4 | 4-5' high\$ 6.00 |
| 53 | 5-6' 7.95 |
| | |
| | Vinca minor EVG 6" PERIWINKLE OR MYRTLE |
| | Splendid ground cover. Glossy green foliage and small, light blue blossoms. Full sun or shade. |
| | per 100 |
| 18 | Medium (21/4" pot grown) \$ 27.00 |
| 3 | Large (3" pot grown) |
| | Vinca minor Bowles EVG 6" BOWLES MYRTLE |
| | Similar to above, but hardier. |
| | |
| | per 100 |
| 24 | |



| Block No. | | |
|--------------|--------------------------------------------------------------------------------------------|--------|
| | Vitex agnus-castus macrophylla DS 4' KEMP | TREE |
| | Leaflets arranged like fingers. Pale lilac bloss in late Summer and Fall. | soms |
| 15 | Container grown (1 gal.)\$ | 2.25 |
| 15 | 2-3' high | 2.25 |
| 2 | 3-4' | 3.00 |
| 2 | | |
| | Weigela Bristol Ruby DS 8' BRISTOL RUBY WEIG | |
| | Plant Patent No. 492. Red blossoms in May again in Fall. | and |
| 12 | 18-24" high\$ | 1.80 |
| 18 | 2-3' | 2.70 |
| 21 | Container grown | 3.15 |
| 24 | 3-4' | 3.60 |
| 3 | 4-5' | 4.50 |
| | | |
| | Weigela Eva Rathke DS 8' EVA RATHKE WEIG | GELA |
| | Red blossoms throughout most of the Summer. | 2.25 |
| 15 | 18-24" high\$ | 2.25 |
| 18 | 2-3' | 2.70 |
| 24 | 3-4' | 3.60 |
| 28 | 4-5' | 4.20 |
| | Weigela rosea DS 8' PINK WEI | GELA |
| | Pink blossoms in June. A wide spreading hab | it of |
| | growth. | |
| 15 | 2-3' high | 2.25 |
| 22 | 3-4' | 3.30 |
| 3 | 4-5' | 4.50 |
| 4 | 5-6' | 6.00 |
| 5 | 6-8' | 7.50 |
| 3 | | |
| | Weigela vaniceki DS 6' VANICEK'S RED WEI | GELA |
| | Vigorous grower with red flowers in June. | 2 (0 |
| 24 | 3-4' high \$ | 3.60 |
| 3 | 4-5' | 4.50 |
| 42 | 5-6' | 6.30 |
| | Wisteria floribunda DVG 30' JAPANESE WIST | TERIA |
| | White, pink, or purple blossoms in long, droe | oping |
| | clusters. Grows by twining itself around any o | bject. |
| 22 | 3-4' runners\$ | 3.30 |
| 26 | 4-5' | 3.90 |
| 3 | 5-6' | 4.50 |
| 4 | 6-8' | 6.00 |
| | Wisteria sinensis DVG 30' CHINESE WIS | TEDIA |
| | | |
| | Similar to Japanese Wisteria, but light lavend white blossoms in somewhat shorter racemes. | er or |
| 13 | 3-4' runners\$ | 1.95 |
| | | |
| 18 | 4-5' | 2.70 |
| 22 | 5-6' | 3.30 |
| 3 | 5-6' heavy | 4.50 |
| 4 | 6-8' | 6.00 |
| | Zanthorhiza apiifolia DVG 2' YELLOW | |
| | Good ground cover for dry, sandy soil where | it is |
| 11 | difficult to grow anything else. | 1.75 |
| 11 | Container grown\$ | 1.65 |



FRUIT TREES and BERRY PLANTS

Certain varieties are self unfruitful, but will bear fruit if planted with another variety of the same kind of fruit. It is always good practice to plant at least two different varieties of each kind. Ask us for detailed information concerning planting distances, orchard layouts, spraying, feeding, and pruning.

| Block No. | STANDARD APPLES | | |
|--------------|--------------------------|---------|-------|
| | If B8 | &B, add | |
| 24 | 3 years old\$ | 1.15\$ | 3.60 |
| 3 | 4 | 1.65 | 4.50 |
| 42 | 5 | 2.75 | 6.30 |
| 58 | 6 (bearing age) | 3.50 | 8.70 |
| 8 | 7-8 (bearing age) | 4.25 | 12.00 |
| 11 | 8-10 (bearing age) | 6.00 | 16.50 |
| 15 | 10-12(bearing age) | 9.00 | 21.00 |

Apple varieties listed in approximate ripening order.

| Yellow Transparent (P) | Yellow * | July |
|---------------------------|-----------------|---------|
| Lodi | Yellow | Aug. |
| Red Astrachan | Striped crimson | Aug. |
| Early McIntosh (P) | Striped red | Aug. |
| Red Gravenstein | Red | Sept. |
| Wealthy | Striped red | Sept. |
| Milton | Red | Sept. |
| McIntosh (P) | Striped red | Oct. |
| Cortland | Solid red | Oct. |
| Northwest Greening | Green | Nov. |
| Yellow Delicious (P) | Yellow | Nov. |
| Rhode Island Greening (S) | Green | Nov. |
| Northern Spy | Striped red | NovDec. |
| Delicious (P) | Red | Dec. |
| Stayman Winesap (S) | Dull red | Jan. |
| Baldwin (S) | Red | DecMar. |
| Golden Russet | Yellow-brown | DecMar. |

- (P)—Good pollenizers for other varieties.
- (S)—Self sterile varieties. Plant with at least one pollenizer.

DWARF APPLES

| | If B8 | &B, add | |
|----|-----------------|---------|------|
| 26 | 2 years old\$ | .75\$ | 3.90 |
| 32 | 3 | 1.15 | 4.80 |
| 42 | 4(bearing age) | 1.65 | 6.30 |
| 56 | 5 (bearing age) | 2.75 | 8.40 |

CRAB APPLES

Same sizes and prices as standard apples.

Transcendent—Bright red on yellow background.

Sept.

Hyslop-Bright red-purple. Oct.

A man doesn't plant a tree for himself so much as for posterity.



| Block | |
|---------|-------------------------------------------------------------------------------------------------|
| No. | SWEET CHERRIES |
| | If B&B, add |
| 3 | 3 years old\$ 1.15\$ 4.50 |
| 38 | Varieties listed in approximate ripening order. |
| | All varieties are self sterile. |
| | Governor Wood-Red-yellow. June. |
| | Black Tartarian—Purple-black. June. |
| | Yellow Spanish—Yellow with red blush. June. |
| | Windsor-Dark red. July. |
| | Schmidt's Bigarreau—Deep red. July. |
| | Napoleon—Yellow, pink blush. July. |
| | TART "PIE" CHERRIES If B&B, add |
| 2 | 3 years old\$ 1.15\$ 3.00 |
| 3 | 4(bearing age) 1.65 4.50 |
| 4 | 5(bearing age) 2.75 6.00 |
| | Both varieties are self sterile. |
| | Early Richmond—Red. Late June. |
| | Montmorency—Red. Late June. |
| | STANDARD PEARS If B&B, add |
| | 2 years old\$ 3.00 |
| 2 | 3 \$ 1.15 4.50 |
| 38 | 4 1.65 5.70 |
| 46 | 5-6 (bearing age) 2.75 6.90 |
| | Varieties listed in approximate ripening order. |
| | Clapp's Favorite—Large yellow. Early Aug. |
| | Bartlett—Large yellow. Aug. (5) Seckel—Small bronze. Sept. (5) |
| | Anjou—Medium yellow-red. Oct. |
| | Buerre Bosc-Large yellow. OctNov. |
| | Duchesse—Large yellow. Nov. (P) |
| | Kieffer-Large yellow. Nov. (\$) |
| | (S)—Self sterile. Plant with at least one pollenizer. (P)—Good pollenizers for other varieties. |
| | DWARF PEARS |
| | If B&B, add |
| 33 | 3 years old\$ 1.15\$ 4.95 |
| 42 | 4(bearing age) 1.65 6.30 |
| | PEACHES |
| | If B&B, add |
| 18 | 2 years old |
| 22 | 3(bearing age) |
| 3 36 | 4(bearing age) 1.65 4.50 5(bearing age) 2.75 5.40 |
| 30 | Varieties listed in approximate ripening order. |
| | Carman—White. July. |
| | Golden Jubilee-Yellow. July. |
| | Rochester—Yellow. Aug. |
| | Hale Haven—Yellow. Aug. Belle of Georgia—White. Aug. |
| | Early Elberta—Yellow. Aug. |
| | Elberta—Yellow. Sept. |
| | J. H. Hale—Yellow. Sept. (self sterile). |
| | All varieties except J. H. Hale are self fruitful, but |
| | will bear better if planted with other varieties. All |
| | varieties are freestone. |



Block No.

11

13

5-6'

heavy

6-7' heavy

Rancocas Stanley Jersey Burlington Concord

PLUMS

| | It B&B, add | |
|----|----------------------------------------------|-------|
| 24 | 3 years old\$ 1.15\$ | 3.60 |
| 3 | 4 (bearing age) 1.65 | 4.50 |
| 4 | 5(bearing age) 2.75 | 6.00 |
| | Japanese Varieties | |
| | Abundance—Red. Early Aug. | |
| | Burbank—Red. Aug. | |
| | European Varieties | |
| | German Prune—Dark blue. AugSept. | |
| | Italian Prune—Dark purple. Sept. | |
| | Stanley Prune—Dark blue. Sept. | |
| | Japanese and European varieties do not cross | |
| | pollinate. | |
| | HYBRID BLUEBERRIES | |
| | | |
| 12 | 12-15" high\$ | 1.80 |
| 14 | 15-18" | 2.10 |
| 2 | 18-24" | 3.00 |
| 9 | 4-5' heavy | 13.50 |

..B&B.....

.B&B

16.50

19.50

ORGANIC PLANT FOOD

Dehydrated cow manure from the famous Walker-Gordon dairy farms. Use liberally at time of planting, mixed with good soil and peat moss for backfill. No odor, no weed seeds, no danger of burning roots. Clean and easy to use.

50 lb. bag\$ 2.95

PEAT MOSS

Finest quality horticultural peat moss—not poultry litter that is so often sold. It acts as a soil conditioner and mulch. Mix it with topsoil and fertilizer when planting, and use it as a mulch on top of the ground after planting. Builds humus in the soil, helps hold moisture, and controls weeds.

| Kar Bale (polyethylene lined bag) | |
|-----------------------------------|------|
| 6 loose bushels\$ | 3.95 |
| Standard Bale (burlap and slats) | |
| 13 compressed bushels\$ | 5.50 |

The Joy of Ownership

There is more than just ordinary pride in the possession of a fine tree. It belongs to the group of personal articles for which a person develops affection—his watch—a fine car—his dog. To the true lover of beauty a fine tree is like a picture or a beautiful sculptured piece in his home. Watching it grow and having it admired by friends is a joy. Caring for it is a happy occupation.



Here are some handy reference lists to help you select trees and shrubs for particular locations or purposes. Not necessarily

STREET TREES

Large Shade Trees

Sweetgum Maple Elm Locust Linden Tuliptree Planetree

Smaller Ornamental Trees

Dogwood Hawthorn Flowering Crab Mountain Ash Flowering Cherry Flowering Plum

HEDGE PLANTS

Evergreen

Abelia Wintergreen Barberry Cypress Spreading Euonymus Japanese Holly Inkberry Juniper Cherry-Laurel Leucothoe Yew Arborvitae Hemlock

Deciduous

Aralia

Jap. Barberry
Summersweet
Flowering Quince
Deutzia
Elaeagnus
Winged Euonymus
Rose of Sharon
Beautybush
Privet
Honeysuckle

Mockorange
Hugonis Rose
Osier Willow
Elder
Spirea
Snowberry
Coralberty
Lilac
Viburnum
Weigela

PLANTS TO ATTRACT BIRDS

Shadblow
Virginia Creeper
Chokeberry
Barberry
Dogwood
Yew
Bush Honeysuckle
American Elder
Snowberry

Coralberry
Blueberry
Bittersweet
Hawthorn
Bayberry
Mountain Ash
Viburnum
Rugosa Rose



listed in order of desirability. Ask us for names of best specific varieties for your purpose. See index for page numbers.

SEASHORE PLANTS

Actual selection depends upon severity of exposure.

Boxelder Bearberry Jap. Barberry Birch Summersweet

Russian Olive Autumn Elaeagnus Winged Euonymus

Locust
Inkberry
Winterberry
Pfitzer Juniper
Regel Privet
California Privet

Everblooming Honeysuckle Tartarian Honeysuckle

Bayberry
Colorado Spruce
Mugho Pine

Japanese Black Pine

Austrian Pine Planetree Beach Plum Rugosa Rose Osier Willow

Golden Weeping Willow

Tamarix

Dwf. Spr. Jap. Yew

Siberian Elm Blueberry Arrowwood Siebold Viburnum Vir. Creeper

American Elder

Scotch Broom Witherod Rose of Sharon

GROUND COVER PLANTS

Evergreen

Prostrate Glossy Abelia Wintercreeper English Ivy Baltic Ivy Juniper (prostrate kinds)

Pachysandra Myrtle

Deciduous

Virginia Creeper Boston Ivy Bearberry Cotoneaster Rose Daphne Hall Jap. Honeysuckle

Pachistima Yellowroot Heather

Proper Planting Makes Homes Enchanting

One of the finest assets in society is a home that commands respect. One of the surest guarantees of a favorable first impression of your home is an OAK PARK landscape planting. OAK PARK has been growing high quality trees for over half a century. People who give preference to quality depend upon us because they know that, with reasonable care, an OAK PARK planting continues to look well and grow well for years to come.



HOW WE DO BUSINESS

. . Some of the Services We Offer

We Try to Do Business the Way You Like It Done

-Not Just to Suit Us. Please Read Carefully.

Consultation and Making of Plans:

For suggestions and advice by mail or at our office there is no charge. If you bring your property measurements and sketches or photos, we will be pleased to help you. However, as the time required to visit your property, take measurements and notes and prepare a detailed survey and plan depends upon distance and other conditions, it is impractical to quote costs beforehand. Often-times the cost of this service can be deducted if the resultant order justifies it.



Photographs:

If you are contemplating buying large trees and it's inconvenient for you to come to the nursery to see them, we will send you photos. We use the Polaroid-Land camera that takes and develops a picture in one minute, so they can usually be mailed to you the same day your request is received.





Prices quoted cancel previous quotations, are subject to prior sale and to change without notice. Prices are F.O.B. East Patchogue. Unusually heavy specimen plants will be priced proportionate with their values. On our invoices—

x=Heavy plant xx=Extra heavy specimen



Terms are cash, excepting established accounts, to which we will gladly extend 30 days credit, or longer if specific arrangements are made at time of sale.

On orders entered one season but not filled until the following season (Spring to Fall, Fall to Spring), a 25% deposit is requested.

Terms to wholesale customers buying on open account (charge account) are 2/10/30, meaning 2% cash discount (on nursery stock only) for payment within 10 days, 30 days net, unless other arrangements are made at time of sale and appear on the order. Should you not receive your invoice within 10 days, pay from your green acknowledgement copy and any small difference will be adjusted later. Interest at 6% on overdue Spring accounts starts on June 1st and on overdue Fall accounts December 1st.

To New Wholesale Customers:

Please use your printed letterhead or business card when you write us.

SCHEDULE OF BALLING CHARGES (B&B)

The specification "B&B" in this list signifies digging with pall of earth enclosed in burlap, which, where indicated, is included in the price. For digging all other plants B&B there is an additional charge as follows:

Shade and Flowering Trees, and Flowering Shrubs

| | • |
|--------------|-----------------|
| Height | *Caliper |
| 18-24"\$.60 | 1-1¼′′ \$ 3.00 |
| 2-3' | 11/4-11/2" 4.00 |
| 3-4' 1.15 | 1½-1¾" 4.75 |
| 4-5' 1.65 | 13/4-2" 5.50 |
| 5-6' 2.75 | 2-21/2" 7.50 |
| 6-8' 4.25 | 21/2-3" 10.00 |
| | 3-31/2" 13.50 |
| 8-10′ 6.00 | 31/2-4" 20.00 |
| 10-12' 7.80 | 4-5" |
| | 5-6" |
| | 6-7" 42.00 |
| | 7-8" 54.00 |

^{*}Caliper means diameter of trunk 6" above ground on trees up to 6" caliper and 12" above ground on larger trees. Whereever given, use caliper sizes to determine B&B charges.





| | Vines and | Climbing Roses | |
|--------|-----------|----------------|------|
| Small | \$.75 | Large\$ | 1.50 |
| Medium | 1.00 | Extra Large | 2.50 |
| | | | |
| | Length | of Runners | |
| 2-3' | \$.75 | 6-8'\$ | 4.50 |
| 3-4' | 1.50 | 8-10′ | 6.00 |
| 4-5' | 2.25 | 10-12' | 7.80 |
| 5-6' | 3.50 | | |



B&B Platforms: Charges for platforms will be rebated or credited to your account when they are returned to us in good condition at your expense. Send them by prepaid motor or rail freight if it is inconvenient for you to deliver them. Our platforms have a brass nameplate, so we will not accept others in exchange.

| | Platforms | Charges | |
|------------|-----------|---------|-------|
| 24" square | \$ 3.25 | 48" | 15.00 |
| 30′′ | 4.50 | 54" | 20.00 |
| 36" | 7.50 | 60′′ | 30.00 |
| 42'' | 10.00 | 66" | 40.00 |
| | 72'' | 50.00 | |

Packing and Boxing, where necessary, will be charged for at cost.

Shipment: We ship by our own trucks, motor and rail freight, railway express and parcel post. Delivery beyond local limits is charged for at cost.





Planting: We can furnish to a limited extent experienced planting foreman and plantsmen if you wish. The cost of this service is more than offset by the satisfaction of knowing that your plants have been given the right start.

Visitors are welcome at all times. You are cordially invited to walk or drive over our several miles of good roads and inspect our collection of hardy plants.

Responsibility and Standing: We refer you to the commercial agencies or satisfied customers in your vicinity, a list of which we will gladly send you on request.

Business Hours: We are open six days a week (not on Sunday) from 7 a.m. until 5 p.m. during our shipping seasons and from 8 a.m. until 4:30 p.m. during Summer and Winter. Closed at noon on Saturdays in Summer and Winter.

BUDGET YOUR PLANTING

Don't let the over-all cost, just because it may be more than you want to spend this year, keep you from enjoying the beauty of a new planting. It may be budgeted in one of two ways. Either do the entire planting and arrange payment terms to suit your convenience, or, working from a master plan, do one or more distinct sections at a time and pay as you go. Don't waste your time, efforts, and money by just "setting out" a few plants here and there. Work toward the ultimate completion of a well-defined plan and be assured that each plant will be placed in its permanent position at the outset and be part of a pleasing composition.



INDEX

Popular and Botanical Names

CONIFEROUS (NARROW-LEAVED EVERGREENS)

| | Page | Page |
|------------------|--------------|--------------------|
| Abies | 4 | Larch |
| Arborvitae | | Larix |
| Cedar | | Picea |
| Cedrus | | Pine |
| Chamaecyparis . | | Pinus |
| | | Spruce |
| Cypress | | Pseudotsuga40 |
| Douglas Fir | | |
| Fir | | Taxus |
| Hemlock | | Thuya |
| Juniper | | Tsuga50 |
| Juniperus | 27,28 | Yew46,47,48 |
| | DDO ADIFAVED | TVEDCREENS |
| | BROADLEAVED | |
| Abelia | 4 | Kalmia28 |
| Andromeda | 37 | Laurel |
| Azalea | 8,9,10,11 | Laurocerasus |
| Barberry | | Leucothoe |
| Berberis | | Ligustrum30 |
| Camellia | | Mahonia |
| Cherry-Laurel | | Photinia36 |
| Euonymus | | Pieris |
| Firethorn | | Privet |
| Holly | | Pyracantha40 |
| Hollygrape | | Rhododendron41 |
| llex | | Skimmia |
| Inkberry | | Okining |
| inkberry | | |
| DECIDU | OUS SHADE AN | D ORNAMENTAL TREES |
| Acer | 5.6 | Gleditsia22,23 |
| Albizzia | | Goldenchain29 |
| Amygdalus | | Goldenrain-Tree29 |
| | 44 | Gordonia23 |
| Beech | | Halesia23 |
| | | Hawthorn18 |
| Betula | | Honeylocust23 |
| Birch | | Katsura Tree14 |
| Cercidiphyllum | | Koelreuteria |
| Cercis | | |
| Cladrastis | | Laburnum |
| Cherry, Flowerin | | Linden50 |
| Cornus | | Liquidambar30 |
| Crab | | Liriodendron30 |
| Crataegus | | Locust |
| Dogwood | | Magnolia31 |
| Elm | | Maidenhair Tree22 |
| Fagus | | Malus32,33 |
| Franklinia | | Maple5,6 |
| | | |
| Ginkgo | | |



DECIDUOUS SHADE AND ORNAMENTAL TREES

| DECIDUOUS SHADE AN | D ORNAMENTAL TREES |
|---------------------------|--------------------|
| Mimosa7 | Salix43 |
| Mountain Ash44 | Silk Tree |
| Nyssa | Silverbell23 |
| Oak | Sorbus |
| Oxydendrum33 | Sourwood |
| Peach, Flowering7,8 | Sweetgum30 |
| Pepperidge | Thorn |
| Planetree | Tilia50 |
| Platanus | Tuliptree30 |
| Plum, Flowering39 | Tupelo33 |
| Prunus | Ulmus51 |
| Quercus | Willow53 |
| Redbud14,15 | Yellow-Wood16 |
| Robinia (see Gleditsia) | |
| DECIDUOUS FLOW | VERING SHRUBS |
| | |
| Acanthopanax5 | Cranberrybush51,52 |
| Almond, Flowering39 | Crape Myrtle29 |
| Amelonchier7 | Cydonia19 |
| Aralia5 | Cytisus19 |
| Aronia8 | Daphne |
| Arrowwood52 | Desmodium19 |
| Azalea8,9,10,11 | Deutzia19,20 |
| Bamboo33 | Dogwood17 |
| Barberry | Elaeagnus20 |
| Bayberry33 | Elder43 |
| Beach Plum39 | Enkianthus20 |
| Beautyberry13 | Erica20 |
| Beautybush29 | Euonymus21 |
| Benzoin11 | Forsythia22 |
| Berberis | Germander 48 |
| Blackhaw53 | Hammamelis23 |
| Bluebeard14 | Heather |
| Blueberry51 | Hibiscus24 |
| Bluemist14 | Honeysuckle30,31 |
| Broom | Hydrangea24 |
| Buddleia13 | Hypericum25 |
| Butterflybush | llex |
| Bushclover | Jetbead42 |
| Callicarpa13 | Kemp Tree54 |
| Calycanthus | Kerria |
| Caragana14 | Kolkwitzia29 |
| Caryopteris14 | Lagerstroemia29 |
| Chaenomeles (see Cydonia) | Ligustrum30 |
| Chionanthus16 | Lilac |
| Chokeberry8 | Lonicera |
| Clethra | Mockorange33,36 |
| Coralberry45 | Myrica33 |
| Cornelian Cherry17 | Nandina33 |
| Cornus | Nanking Cherry40 |
| Cotinus | Nannyberry52 |
| Cotoneaster17,18 | Pea Shrub14 |
| | |



DECIDUOUS FLOWERING SHRUBS

| Philadelphus | . 33,36 | Spicebush | |
|------------------------|---------|-------------------------|---------|
| Photinia | 36 | Spiraea | 44 |
| Plum, Flowering | 40 | Summersweet | 16 |
| Potentilla | 38 | Sweetshrub | 13 |
| Privet | 30 | Symphoricarpos | . 44,45 |
| Prunus | .39,40 | Symplocos | 45 |
| Pussy Willow | 43 | Sweetleaf | 45 |
| Quince | 19 | Syringa | |
| Rhus (see Cotinus) | | Tamarix | 45 |
| Rose of Sharon | 24 | Teucrium | 48 |
| Rhodotypos | 42 | Vaccinium | 51 |
| Rosa | 42 | Viburnum5 | ,52,53 |
| Rose | 42 | Vitex | 54 |
| Russian Olive | 20 | Wayfaring Tree | 52 |
| St. Johnswort | 25 | Weigela | |
| Salix | 43 | White Fringe | 16 |
| Sambucus | 43 | Willow | 43 |
| Scotch Broom | 19 | Winterberry | 27 |
| Shadblow | 7 | Witch Hazel | 23 |
| Snowball | 53 | Witherod | 52 |
| Snowberry | 44 | | |
| | | | |
| DECIDUOUS V | INES A | ND GROUND COVERS | |
| Actinidia | 6 | Engelmann Creeper | 7 |
| Akebia | 6 | Fleecevine | |
| Ampelopsis | 7 | Geranium Creeper | 7 |
| Arctostaphyllos | 8 | Honeysuckle | . 30,31 |
| Aristolochia | 8 | Hydrangea | . 24,25 |
| Bearberry | 8 | Lonicera | .30,31 |
| Bignonia (see Campsis) | | Pachistima | 33 |
| Bittersweet | | Polygonum | 38 |
| Boston Ivy | 7 | Trumpetcreeper | 13 |
| Campsis | 13 | Virginia Creeper | |
| Celastrus | 14 | Wisteria | |
| Clematis | 16 | Zanthorhiza | |
| Dutchman's Pipe | | | |
| | | | |
| EVERGREEN V | INES A | ND GROUND COVERS | |
| Euonymus | 21 | Periwinkle | 53 |
| Hedera | 23 | Spurge | 33 |
| lvy | 23 | Vinca | 53 |
| Myrtle | . : 53 | Wintercreeper | 21 |
| Pachysandra | 33 | | |
| FRUIT TREES AND BERRY | BUSHES | | 5.56.57 |
| | | | |
| Fertilizer | | Plants to Attract Birds | |
| Ground Covers | 59 | Seashore Plants | 59 |
| | | | |
| Hedge Plants Peat Moss | 58 | Street Trees | |



NOTES



NOTES

GUARANTEE:

We guarantee every plant to be true to name, up to grade, and in good condition when it leaves the nursery. We will replace without charge any proved otherwise, provided it is reported promptly. We will replace at the first proper planting season at one-half original cost any plant sold at list prices and planted by us in a location approved by us that dies within six months provided it has received proper care and the account has been paid in accordance with our terms. The customer pays for delivery and planting at cost. This guarantee does not cover losses due to droughts, storms, severe winters, insect injury, disease, or other factors beyond our control. Should we not have the same plant in stock, we reserve the right to substitute the nearest variety and size of equal value. We do not guarantee plants transplanted from one location to another on customer's property.

As there are many factors beyond our control after plants leave the nursery, we cannot be wholly responsible for losses. Once a plont is on your property we lose control over it, so, since your care will largely determine whether it lives or dies, we feel that you should assume part of the responsibility in the event it dies. However, during our many years in business here, despite serious droughts and other adverse weather conditions, we were called upon to replace less than 1% of the many thousands of trees and shrubs we planted for our customers. Ask us for our latest pamphlets giving complete information on planting and care of trees and shrubs.

From west end, north shore: East on Northern State Pkwy. or Rte. 25 to Veteran's Mem. Hwy. at Commack, to Sunrise Hwy. (27) at Patchogue. Turn right at temporary end of Sunrise, one mile south to Montauk Hwy. (27A), turn left at Safeway supermarket. Turn right on S. Country Rd. toward Bellport at first traffic light at fork. Two miles ahead on right.

From west end, south shore: Sunrise Hwy. all the way or Southern State Pkwy. to Sunrise at Babylon. Stay on Sunrise to temporary end. Follow above directions.

From east end, north shore: Rte. 25 to Riverhead, Rte. 51 to Rte. 27 at Center Moriches. West (right) on 27. At Brookhaven turn left on S. Country Rd. to Bellport Two miles west of Bellport on left. OR: South on Rte. 112 to Sunrise Hwy. north of Patchogue. East (left) to temporary end of Sunrise. Follow above directions.

From east end, south shore: Rte. 27 to Brookhaven. Follow above directions.

N.Y.C. PARKWAY SUNRISE JERICHO TPKE NORTHERN STATE JONES BEACH PARKWAY STATE PARKWAY HIGHWAY NURSERIES, Inc. PATCHOGUE MAIN HIGHWAYS OF LONG ISLAND SHOWING OUR CENTRAL LOCATION JEFFERSON CORAM ROUTE 25 ON PATCHOGUE—BELLPORT ROAD 2 MILES EAST OF PATCHOGUE RIVERHEAD WESTHAMPTON OSOUTHAMPTON EASTHAMPTON ORIENT POINT MONTAUK